AUTHOR INDEX

A

Abe, R. *See* Ikezawa, Baxevanis, Nonaka, Abe, Tada, Nagy, and Klein.

Abo, T., Miller, C. A., Gartland, G. L., and Balch, C. M. Differentiation stages of human natural killer cells in lymphoid tissues from fetal to adult life. 273

Accolla, R. S., Human B cell variants immunoselected against a single Ia antigen subset have lost expression of several Ia antigen subsets. 1053

Ackerman, S. J. *See* O'Donnell, Ackerman, Gleich, and Thomas.

Adler, F. L. *See* Rodkey and Adler.

Agodoa, L. Y. C. *See* Mannik, Agodoa, and David.

Ahmed, A. *See* Stein, Zopf, Miller, Johnson, Mongini, Ahmed, and Paul.

Aisenberg, J. *See* Clayberger, DeKruyff, Aisenberg, and Cantor.

Alderete, J. F. *See* Peterson, Baseman, and Alderete.

Aldo-Benson, M., and Scheiderer, L. Long-term growth of lines of murine dinitrophenyl-specific B lymphocytes in vitro. 342

Altevogt, P. *See* Fogel, Altevogt, and Schirrmacher.

Amundson, C. *See* Hang, Slack, Amundson, Izui, Theofilopoulos, and Dixon.

Andres, G. A. *See* Koffler, Biesecker, Noble, Andres, and Martinez-Hernandez.

Ansel, J. *See* Howard, Mizel, Lachman, Ansel, Johnson, and Paul.

Aoki, I., Minami, M., and Dorf, M. E. A mechanism responsible for the induction of H-2 restricted second-order suppressor T cells. 1726

Aoki, T. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.

Asano, Y., and Hodes, R. J. T cell regulation of B cell activation. *I-A*-restricted T suppressor cells inhibit the major histocompatibility complex-restricted interactions of T helper cells with B cells and accessory cells. 1867

Askenase, P. W., Rosenstein, R. W., and Ptak, W. T cells produce an antigen-binding factor with in vivo activity analogous to IgE antibody. 862

—, *See* Van Loveren, Meade, and Askenase.

Atkins, E. *See* Jampel, Duff, Gershon, Atkins, and Durum.

Atkinson, J. P. *See* Dykman, Cole, Iida, and Atkinson.

Auchincloss, H. Jr., Bluestone, D. H., and Sachs, D. H. Antiidiotypes against anti-H-2 monoclonal antibodies. V. In vivo antiidiotype treatment induces idiotype-specific helper T cells. 1273

Ault, K. A. *See* Pober, Gimbrone, Cotran, Reiss, Burakoff, Fiers, and Ault.

Austen, K. F. *See* Razin, Mencia-Huerta, Stevens, Lewis, Liu, Corey, and Austen.

Austyn, J. M., Steinman, R. M., Weinstein, D. E., Granelli-Piperno, A., and Palladino, M. A. Dendritic cells initiate a two-stage mechanism for T lymphocyte proliferation. 1101

B

Bach, F. H. *See* Groner, Watson, and Bach.

Badger, C. C., and Bernstein, I. D. Therapy of murine leukemia with monoclonal antibody against a normal differentiation antigen. 828

Baker, P. J. *See* Hiernaux, Jones, Rudbach, Rollwagen, and Baker.

Balch, C. M. *See* Abo, Miller, Gartland, and Balch.

Balderas, R. S. *See* Prud'homme, Balderas, Dixon, and Theofilopoulos.

Balkwill, F. R., Griffin, D. B., Band, H. A., and Beverley, P. C. L. Immune human lymphocytes produce an acid-labile α-interferon. 1059

Bampton, M. *See* Ezekowitz, Bampton, and Gordon.

Band, H. A. *See* Balkwill, Griffin, Band, and Beverley.

Banda, M. J., Clark, E. J., and Werb, Z. Selective proteolysis of immunoglobulins by mouse macrophage elastase. 1184

Bandeira, A., Pobor, G., Pettersson, S., and Coutinho, A. Differential macrophage requirements for T helper cell and T helper cell-induced B lymphocyte proliferation. 312

Barker, C. F. *See* Bartlett, Jennings, Yu, Naji, Barker, and Silvers.

Barrera, O. *See* Swanson and Barrera.

Bartlett, S. T., Jennings, A. S., Yu, C., Naji, A., Barker, C. F., and Silvers, W. K. Influence of culturing on the survival of major histocompatibility complex-compatible and -incompatible thyroid grafts in rats. 348

Barton, R. L. *See* Morgan, Shields, Campbell, Barton, Koppel, and Weigle.

Baseman, J. B. *See* Leith, Trevino, Tully, Senterfit, and Baseman.

—, *See* Peterson, Baseman, and Alderete.

Basten, A. *See* Loblay, de St. Groth, Pritchard-Briscoe, and Basten.

Baum, L. L., James, K. K., Glaviano, R. R., and Gewurz, H. Possible role for C-reactive protein in the human natural killer cell response. 301

Baxevanis, C. N. *See* Ikezawa, Baxevanis, Nonaka, Abe, Tada, Nagy, and Klein.

Beaufay, H. *See* Darte and Beaufay.

Beck, B. N., Nelson, P. A., and Fathman, C. G. The I-A^b mutant B6.C-H-2^{bm12} allows definition of multiple T cell epitopes on I-A molecules. 1396

Bekkhoucha, F. *See* Pène, Bekkhoucha, Desaymard, Zaghouani, and Stanislawski.

Bell, G. I. *See* Michl, Pieczonka, Unkeless, Bell, and Silverstein.
Bellgrau, D. Induction of cytotoxic T cell precursors in vivo. Role of T helper cells. 1505
Benacerraf, B. *See* Lowy, Tominaga, Drebin, Takaoki, Benacerraf, and Greene.
—, *See* Rock and Benacerraf.
—, *See* Rock and Benacerraf.
Ben-Nun, A., Lando, Z., Dorf, M. E., and Burakoff, S. J. Analysis of cross-reactive antigen-specific T cell clones. Specific recognition of two major histocompatibility complex (MHC) and two non-MHC antigens by a single clone. 2147
Bergstresser, P. R. *See* Streilein and Bergstresser.
Bernd, P. *See* Shepherd, Stahl, Bernd, and Rabinovitch.
Bernstein, I. D. *See* Badger and Bernstein.
Bevan, M. J. *See* Fink, Weissman, and Bevan.
Beverley, P. C. L. *See* Balkwill, Griffin, Band, and Beverley.
Biesecker, G. *See* Koffler, Biesecker, Noble, Andres, and Martinez-Hernandez.
Binz, H., Fenner, M., Frei, D., and Wigzell, H. Two independent receptors allow selective target lysis by T cell clones. 1252
Bishop, G. A., Glorioso, J. C., and Schwartz, S. A. Relationship between expression of herpes simplex virus glycoproteins and susceptibility of target cells to human natural killer activity. 1544
Blaese, R. M. *See* Yarchoan, Tosato, Blaese, Simon, and Nelson.
Blanden, R. V. *See* Müllbacher, Blanden, and Brenan.
Blattner, W. A. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakoa, Ito, Aoki, and Gallo.
Blayney, D. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.
Bluestein, H. G. *See* Hasler, Bluestein, Zvaifler, and Epstein.
Bluestone, D. H. *See* Auchincloss, Bluestone, and Sachs.
Bond, M. *See* Newman, Sugii, Kabai, Torii, Clevinger, Schilling, Bond, Davie, and Hood.
Boon, T. *See* Uyttenhove, Maryanski, and Boon.
—, *See* Van Pel, Vessière, and Boon.
Boros, D. L. *See* Chensue, Boros, and David.
Bourcet, E. *See* Yakura, Shen, Bourcet, and Boyse.
Boyse, E. A. *See* Yakura, Shen, Bourcet, and Boyse.
Brenan, M. *See* Müllbacher, Blanden, and Brenan.
Britt, W. J., and Chesebro, B. H-2D control of recovery from Friend virus leukemia: H-2D region influences the kinetics of the T lymphocyte response to Friend virus. 1736
Britton, S. *See* Martínez-Maza and Britton.
Brown, E. J. *See* Pommier, Inada, Fries, Takahashi, Frank, and Brown.
Brown, R. R. *See* Chetty, Brown, and Schwab.
Bunn, P. A. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.
Burakoff, S. J. *See* Ben-Nun, Lando, Dorf, and Burakoff.
—, *See* Pober, Gimbrone, Cotran, Reiss, Burakoff, Fiers, and Ault.
Burton, R. C. *See* Kärre, Seeley, Eriksson, Burton, and Kiessling.
Butcher, E. C. *See* Reichert, Gallatin, Weissman, and Butcher.
Butler, J. L., Muraguchi, A., Lane, H. C., and Fauci, A. S. Development of a human T-T cell hybridoma secreting B cell growth factor. 60
—, *See* Muraguchi, Butler, Kehrl, and Fauci.
Butterworth, A. E. *See* Veith and Butterworth.

C

Cambier, J. C. *See* Monroe and Cambier.
Campbell, C. S. *See* Morgan, Shields, Campbell, Barton, Koppel, and Weigle.
Cantor, H. *See* Clayberger, DeKruyff, Aisenberg, and Cantor.
—, *See* Dvorak, Galli, Marcum, Nabel, der Simonian, Goldin, Monahan, Pyne, Cantor, Rosenberg, and Dvorak.
Capra, J. D. *See* Giles, Nunez, Hurley, Nunez-Roldan, Winchester, Stastny, and Capra.
Catovsky, D. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.
Caulfield, M. J., Luce, K. J., Proffitt, M. R., and Cerny, J. Induction of idiotype-specific suppressor T cells with antigen/antibody complexes. 1713
Cerami, A. *See* Hotez and Cerami.
—, *See* Pekala, Kawakami, Vine, Lane, and Cerami.
Cerny, J. *See* Caulfield, Luce, Proffitt, and Cerny.
Cerottini, J.-C. *See* Moretta, Pantaleo, Moretta, Cerottini, and Mingari.
Chen, S.-S., and Katz, D. H. IgE class-restricted tolerance induced by neonatal administration of soluble or cell-bound IgE. 772
Chensue, S. W., Boros, D. L., and David, C. S. Regulation of granulomatous inflammation in murine schistosomiasis. II. T suppressor cell-derived, I-C subregion-encoded soluble suppressor factor mediates regulation of lymphokine production. 219
Chesebro, B. *See* Britt and Chesebro.
Chetty, C., Brown, R. R., and Schwab, J. H. Edema-producing activity of group A streptococcal polysaccharide and its possible role in the pathogenesis of cell wall-induced polyarthritis. 1089
Chiller, J. M. *See* Lamb, Skidmore, Green, Chiller, and Feldmann.
Choy, J. W. *See* Goidl, Choy, Gibbons, Weksler, Thorbecke, and Siskind.
Christenson, L. *See* Cotner, Williams, Christenson, Shapiro, Strom, and Strominger.
Chused, T. M. *See* Jackson, Chused, Wilkinson, Leiserson, and Kindt.
Ciavarra, R. *See* Forman, Goodenow, Hood, and Ciavarra.
Claflin, J. L. *See* Clarke, Claflin, Potter, and Rudikoff.

Clark, E. J. *See* Banda, Clark, and Werb.

Clarke, S. H., Claflin, J. L., Potter, M., and Rudikoff, S. Polymorphisms in anti-phosphocholine antibodies reflecting evolution of immunoglobulin families. 98

Clayberger, C., DeKruyff, R. H., Aisenberg, J., and Cantor, H. Hapten-reactive inducer T cells. I. Definition of two classes of hapten-specific inducer cells. 1906

Clevinger, B. L. *See* Newman, Sugii, Kabat, Torii, Clevinger, Schilling, Bond, Davie, and Hood.

Cochrane, A. H. *See* Zavala, Cochrane, Nardin, Nussenzweig, and Nussenzweig.

Coe, J. E., and Ross, M. J. Hamster female protein. A divergent acute phase protein in male and female Syrian hamsters. 1421

Cohn, M. *See* Epstein, Lehmann, and Cohn.

Cohn, Z. *See* Lepay, Nogueira, and Cohn.

Cole, J. L. *See* Dykman, Cole, Iida, and Atkinson.

Collins, N. H. *See* Silvers, Collins, and Naji.

Corey, E. J. *See* Razin, Mencia-Huerta, Stevens, Lewis, Liu, Corey, and Austen.

Cossman, J., Neckers, L. M., Leonard, W. J., and Greene, W. C. Polymorphonuclear neutrophils express the common acute lymphoblastic leukemia antigen. 1064

Cotner, T., Williams, J. M., Christenson, L., Shapiro, H. M., Strom, T. B., and Strominger, J. Simultaneous flow cytometric analysis of human T cell activation antigen expression and DNA content. 461

Cotran, R. S. *See* Pober, Gimbrone, Cotran, Reiss, Burakoff, Fiers, and Ault.

Couraud, P.-O., Lü, B.-Z., and Strosberg, A. D. Cyclical antiidiotypic response to anti-hormone antibodies due to neutralization by autologous anti-antiidiotype antibodies that bind hormone. 1369

Coutinho, A. *See* Bandeira, Pobor, Pettersson, and Coutinho.

Creemers, P., Rose, N. R., and Kong, Y.-C. M. Experimental autoimmune thyroiditis. In vitro cytotoxic effects of T lymphocytes on thyroid monolayers. 559

D

Daley, J. *See* Hokland, Rosenthal, Griffin, Nadler, Daley, Hokland, Schlossman, and Ritz.

Darte, C., and Beaufay, H. Analytical subcellular fractionation of cultivated mouse resident peritoneal macrophages. 1208

David, C. S. *See* Chensue, Boros, and David.

David, K. A. *See* Mannik, Agodoa, and David.

David, P. H. *See* Hommel, David, and Oligino.

Davie, J. M. *See* Newman, Sugii, Kabat, Torii, Clevinger, Schilling, Bond, Davie, and Hood.

de Lestrè, B. *See* Van Snick, Stassin, and de Lestre.

de St. Groth, B. F. *See* Loblay, de St. Groth, Pritchard-Briscoe, and Basten.

DeKruyff, R. H. *See* Clayberger, DeKruyff, Aisenberg, and Cantor.

Delovitch, T. L., Kaufman, K., and Gorczynski, R. M. In vitro analysis of allogeneic lymphocyte interaction. VII. *I-A*-restricted self-reactive and alloreactive helper components of allogeneic effect factor are distinct donor T cell-derived Iaˉmolecules that recognize Ia determinants on antigen-presenting cells. 1794

Denis, K. A., and Klinman, N. R. Genetic and temporal control of neonatal antibody expression. 1170

Dennert, G., and Podack, E. R. Cytolysis by H-2-specific T killer cells. Assembly of tubular complexes on target membranes. 1483

der Simonian, H. *See* Dvorak, Galli, Marcum, Nabel, der Simonian, Goldin, Monahan, Pyne, Cantor, Rosenberg, and Dvorak.

Desaymard, C. *See* Pène, Bekkhoucha, Desaymard, Zaghouani, and Stanislawski.

Dixon, F. J. *See* Hang, Slack, Amundson, Izui, Theofilopoulos, and Dixon.

—, *See* Prud'homme, Balderas, Dixon, and Theofilopoulos.

—, *See* Prud'homme, Park, Fieser, Kofler, Dixon, and Theofilopoulos.

Djeu, J. Y. *See* Grimm, Ramsey, Mazumder, Wilson, Djeu, and Rosenberg.

Dorf, M. E. *See* Aoki, Minami, and Dorf.

—, *See* Ben-Nun, Lando, Dorf, and Burakoff.

—, *See* Minami, Okuda, Furusawa, and Dorf.

—, *See* Sherr, Minami, Okuda, and Dorf.

Dos Reis, G. A., and Shevach, E. M. Antigen-presenting cells from nonresponder strain 2 guinea pigs are fully competent to present bovine insulin B chain to responder strain 13 T cells. Evidence against a determinant selection model and in favor of a clonal deletion. 1287

Drebin, J. A. *See* Lowy, Tominaga, Drebin, Takaoki, Benacerraf, and Greene.

Duff, G. W. *See* Jampel, Duff, Gershon, Atkins, and Durum.

Duquesnoy, R. J. *See* Tanigaki, Tosi, Duquesnoy, and Ferrara.

Durum, S. K. *See* Jampel, Duff, Gershon, Atkins, and Durum.

Dutton, R. W. *See* Swain, Dutton, Schwab, and Yamamoto.

Dvorak, A. M., Galli, S. J., Marcum, J. A., Nabel, G., der Simonian, H., Goldin, J., Monahan, R. A., Pyne, K., Cantor, H., Rosenberg, R. D., and Dvorak, H. F. Cloned mouse cells with natural killer function and cloned suppressor T cells express ultrastructural and biochemical features not shared by cloned inducer T cells. 843

Dvorak, H. F. *See* Dvorak, Galli, Marcum, Nabel, der Simonian, Goldin, Monahan, Pyne, Cantor, Rosenberg, and Dvorak.

Dykman, T. R., Cole, J. L., Iida, K., and Atkinson, J. P. Structural heterogeneity of the C3b/C4b receptor (CR1) on human peripheral blood cells. 2160

E

Eldridge, J. H., Kiyono, H., Michalek, S. M., and McGhee, J. R. Evidence for a mature B cell subpopulation in Peyer's patches of young adult mice. 789

Eldridge, J. H. *See* Spalding, Koopman, Eldridge, McGhee, and Steinman.
Emancipator, S. N., Gallo, G. R., and Lamm, M. E. Experimental IgA nephropathy induced by oral immunization. 572
Epstein, L. B. *See* Hasler, Bluestein, Zvaifler, and Epstein.
Epstein, R., Lehmann, K., and Cohn, M. Induction of λ_1-immunoglobulin is determined by a regulatory gene ($r\lambda_1$) linked (or identical) to the structural ($c\lambda_1$)gene. 1681
Eriksson, E. *See* Kärre, Seeley, Eriksson, Burton, and Kiessling.
Ezekowitz, R. A. B., Bampton, M., and Gordon, S. Macrophage activation selectively enhances expression of Fc receptors for IgG2a. 807

F

Farquhar, M. G. *See* Kerjaschki and Farquhar.
Fathman, C. G. *See* Beck, Nelson, and Fathman.
—, *See* Hertel-Wulff, Goodman, Fathman, and Lewis.
Fauci, A. S. *See* Butler, Muraguchi, Lane, and Fauci.
—, *See* Kehrl and Fauci.
—, *See* Muraguchi, Butler, Kehrl, and Fauci.
Feldman, J. D. *See* Orida, Feldman, Katz, and Liu.
Feldmann, M. *See* Lamb, Skidmore, Green, Chiller, and Feldmann.
Fenner, M. *See* Binz, Fenner, Frei, and Wigzell.
Ferrara, G. B. *See* Tanigaki, Tosi, Duquesnoy, and Ferrara.
Fiers, W. *See* Pober, Gimbrone, Cotran, Reiss, Burakoff, Fiers, and Ault.
Fieser, T. M. *See* Prud'homme, Park, Fieser, Kofler, Dixon, and Theofilopoulos.
Fink, P. J., Weissman, I. L., and Bevan, M. J. Haplotype-specific suppression of cytotoxic T cell induction by antigen inappropriately presented on T cells. 141
Fitch, F. W. *See* Lancki, Lorber, Loken, and Fitch.
Fitzgerald, K. A. *See* Meuer, Fitzgerald, Hussey, Hodgdon, Schlossman, and Reinherz.
Fogel, M., Altevogt, P., and Schirrmacher, V. Metastatic potential severely altered by changes in tumor cell adhesiveness and cell surface sialylation. 371
Forman, J., Goodenow, R. S., Hood, L., and Ciavarra, R. Use of DNA-mediated gene transfer to analyze the role of *H-2L*^{d} in controlling the specificity of anti-vesicular stomatitus virus cytotoxic T cells. 1261
Fotino, M. *See* Kimberly, Gibofsky, Salmon, and Fotino.
Franchini, G. *See* Haynes, Robert-Guroff, Metzgar, Franchini, Kalyanaraman, Falker, and Gallo.
Frank, M. M. *See* Pommier, Inada, Fries, Takahashi, Frank, and Brown.
Frei, D. *See* Binz, Fenner, Frei, and Wigzell.
Friedman, R. M. *See* Preble, Rothko, Klippel, Friedman, and Johnston.
Friedman, S. M., and Thompson, G. S. Functionally restricted, allospecific, human helper T cell lines that amplify either B cell or cytolytic T cell responses. 1675
Fries, L. F. *See* Pommier, Inada, Fries, Takahashi, Frank, and Brown.
Fujita, T., and Tamura, N. Interaction of C4-binding protein with cell-bound C4b. A quantitative analysis of binding and the role of C4-binding protein in proteolysis of cell-bound C4b. 1239
Fultz, M. J. *See* Kruisbeek, Fultz, Sharrow, Singer, and Mond.
Furusawa, S. *See* Minami, Okuda, Furusawa, and Dorf.

G

Gallatin, W. M. *See* Reichert, Gallatin, Weissman, and Butcher.
Galli, S. J. *See* Dvorak, Galli, Marcum, Nabel, der Simonian, Goldin, Monahan, Pyne, Cantor, Rosenberg, and Dvorak.
Gallo, G. R. *See* Emancipator, Gallo, and Lamm.
Gallo, R. C. *See* Haynes, Robert-Guroff, Metzgar, Franchini, Kalyanaraman, Palker, and Gallo.
—, *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.
Gartland, G. L. *See* Abo, Miller, Gartland, and Balch.
Gefter, M. L. *See* Rothstein, Margolies, Gefter, and Marshak-Rothstein.
Gerhard, W. *See* Staudt and Gerhard.
Gershon, R. K. *See* Jampel, Duff, Gershon, Atkins, and Durum.
Gewurz, H. *See* Baum, James, Glaviano, and Gewurz.
Gibbons, J. J. *See* Goidl, Choy, Gibbons, Weksler, Thorbecke, and Siskind.
Gibofsky, A. *See* Kimberly, Gibofsky, Salmon, and Fotino.
Giles, R. C., Nunez, G., Hurley, C. K., Nunez-Roldan, A., Winchester, R., Stastny, P., and Capra, J. D. Structural analysis of a human I-A homologue using a monoclonal antibody that recognizes an MB3-like specificity. 1461
Gimbrone, M. A. Jr. *See* Pober, Gimbrone, Cotran, Reiss, Burakoff, Fiers, and Ault.
Glaviano, R. R. *See* Baum, James, Glaviano, and Gewurz.
Gleich, G. J. *See* O'Donnell, Ackerman, Gleich, and Thomas.
Gleichmann, E. *See* Rolink, Pals, and Gleichmann.
Glorioso, J. C. *See* Bishop, Glorioso, and Schwartz.
Goeddel, D. V. *See* Naylor, Sakaguchi, Shows, Law, Goeddel, and Gray.
Goidl, E. A., Choy, J. W., Gibbons, J. J., Weksler, M. E., Thorbecke, G. J., and Siskind, G. W. Production of auto-antiidiotypic antibody during the normal immune response. VII. Analysis of the cellular basis for the increased auto-antiidiotype antibody production by aged mice. 1635
Goldin, J. *See* Dvorak, Galli, Marcum, Nabel, der Simonian, Goldin, Monahan, Pyne, Cantor, Rosenberg, and Dvorak.
Goodenow, R. S. *See* Forman, Goodenow, Hood, and Ciavarra.
Goodman, J. W. *See* Hertel-Wulff, Goodman, Fathman, and Lewis.

Gorczynski, R. M. *See* Delovitch, Kaufman, and Gorczynski.
Gordon, S. *See* Ezekowitz, Bampton, and Gordon.
—, *See* Hume and Gordon.
Goto, M., and Zvaifler, N. J. Characterization of the killer cell generated in the autologous mixed leukocyte reaction. 1309
Gotschlich, E. C. *See* Noegel and Gotschlich.
Granelli-Piperno, A. *See* Austyn, Steinman, Weinstein, Granelli-Piperno, and Palladino.
Grau, G. E., Puthavathana, P., Izui, S., and Lambert, P.-H. Induction of acute thrombocytopenia and infection of megakaryocytes by Rauscher murine leukemia virus reflect the genetic susceptibility to leukemogenesis. 1028
Gray, P. W. *See* Naylor, Sakaguchi, Shows, Law, Goeddel, and Gray.
Green, N. *See* Lamb, Skidmore, Green, Chiller, and Feldmann.
Greene, M. I. *See* Lowy, Tominaga, Drebin, Takaoki, Benacerraf, and Greene.
Greene, W. C. *See* Cossman, Neckers, Leonard, and Greene.
Griffin, D. B. *See* Balkwill, Griffin, Band, and Beverley.
Griffin, J. D. *See* Hokland, Rosenthal, Griffin, Nadler, Daley, Hokland, Schlossman, and Ritz.
Grimm, E. A., Ramsey, K. M., Mazumder, A., Wilson, D. J., Djeu, J. Y., and Rosenberg, S. A. Lymphokine-activated killer cell phenomenon. II. Precursor phenotype is serologically distinct from peripheral T lymphocytes, memory cytotoxic thymus-derived lymphocytes, and natural killer cells. 884
Groner, J. P., Watson, A. J., and Bach, F. H. Dw/LD-related molecular polymorphism of DR4 β-chains. 1687
Gutchinov, B. *See* Steinman, Gutchinov, Witmer, and Nussenzweig.

H

Hang, L., Slack, J. H., Amundson, C., Izui, S., Theofilopoulos, A. N., and Dixon, F. J. Induction of murine autoimmune disease by chronic polyclonal B cell activation. 874
Hara, H. *See* Okada, Sakaguchi, Yoshimura, Hara, Shimizu, Yoshida, Yoshizaki, Kishimoto, Yamamura, and Kishimoto.
Hardy, R. R. *See* Hayakawa, Hardy, Parks, and Herzenberg.
Harrison, D. E., Long-term erythropoietic repopulating ability of old, young, and fetal stem cells. 1496
Hashimoto, K., Shafran, K. M., Webber, P. S., Lazarus, G. S., and Singer, K. H. Anti-cell surface pemphigus autoantibody stimulates plasminogen activator activity of human epidermal cells. A mechanism for the loss of epidermal cohesion and blister formation. 259
Haskins, K., Kubo, R., White, J., Pigeon, M., Kappler, J., and Marrack, P. The major histocompatibility complex-restricted antigen receptor on T cells. I. Isolation with a monoclonal antibody. 1149
Hasler, F., Bluestein, H. G., Zvaifler, N. J., and Epstein, L. B. Analysis of the defects responsible for the impaired regulation of Epstein-Barr virus-induced B cell proliferation by rheumatoid arthritis lymphocytes. I. Diminished gamma interferon production in response to autologous stimulation. 173
Hathcock, K. S. *See* Hodes, Hathcock, and Singer.
Hayakawa, K., Hardy, R. R., Parks, D. R., and Herzenberg, L. A. The "Ly-1 B" cell subpopulation in normal, immunodefective, and autoimmune mice. 202
Haynes, B. F., Robert-Guroff, M., Metzgar, R. S., Franchini, G., Kalyanaraman, V. S., Palker, T. J., and Gallo, R. C. Monoclonal antibody against human T cell leukemia virus p19 defines a human thymic epithelial antigen acquired during ontogeny. 907
Hertel-Wulff, B., Goodman, J. W., Fathman, C. G., and Lewis, G. K. Arsonate-specific murine T cell clones. I. Genetic control and antigen specificity. 987
Herzenberg, L. A. *See* Hayakawa, Hardy, Parks, and Herzenberg.
Hibbs, M. S., Postlethwaite, A. E., Mainardi, C. L., Seyer, J. M., and Kang, A. H. Alterations in collagen production in mixed mononuclear leukocyte-fibroblast cultures. 47
Hiernaux, J. R., Jones, J. M., Rudbach, J. A., Rollwagen, F., and Baker, P. J. Antibody response of immunodeficient (xid) CBA/N mice to *Escherichia coli* 0113 lipopolysaccharide, a thymus-independent antigen. 1197
Hillstrom, L. M., and Niederhuber, J. E. *IR* gene regulation of the response to trinitrophenyl-polysaccharides. Two independent genes are required for antibody production. 2002
Hodes, R. J., Hathcock, K. S., and Singer, A. Major histocompatibility complex-restricted self-recognition in responses to trinitrophenyl-Ficoll. A novel cell interaction pathway requiring self-recognition of accessory cell H-2 determinants by both T cells and B cells. 486
—, *See* Asano and Hodes.
Hodgdon, J. C. *See* Meuer, Fitzgerald, Hussey, Hodgdon, Schlossman, and Reinherz.
Hogg, N., Human monocytes are associated with the formation of fibrin. 473
Hokland, M. *See* Hokland, Rosenthal, Griffin, Nadler, Daley, Hokland, Schlossman, and Ritz.
Hokland, P., Rosenthal, P., Griffin, J. D., Nadler, L. M., Daley, J., Hokland, M., Schlossman, S. F., and Ritz, J. Purification and characterization of fetal hematopoietic cells that express the common acute lymphoblastic leukemia antigen (CALLA). 114
Holt, P. G. *See* Sedgwick and Holt.
Hommel, M., David, P. H., and Oligino, L. D. Surface alterations of erythrocytes in *Plasmodium falciparum* malaria. Antigenic variation, antigenic diversity, and the role of the spleen. 1137
Hood, L. *See* Forman, Goodenow, Hood, and Ciavarra.

Hood, L. *See* Newman, Sugii, Kabat, Torii, Clevinger, Schilling, Bond, Davie, and Hood.

Hornbeck, P. V., and Lewis, G. K. Idiotype connectance in the immune system. I. Expression of a cross-reactive idiotope on induced anti-*p*-azophenylarsonate antibodies and on endogenous antibodies not specific for arsonate. 1116

Hotez, P. J., and Cerami, A. Secretion of a proteolytic anticoagulant by *Ancylostoma* hookworms. 1594

Howard, M., Mizel, S. B., Lachman, L., Ansel, J., Johnson, B., and Paul, W. E. Role of interleukin 1 in anti-immunoglobulin-induced B cell proliferation. 1529

Hume, D. A., and Gordon, S. Mononuclear phagocyte system of the mouse defined by immunohistochemical localization of antigen F4/80. Identification of resident macrophages in renal medullary and cortical interstitium and the juxtaglomerular complex. 1704

Hurley, C. K. *See* Giles, Nunez, Hurley, Nunez-Roldan, Winchester, Stastny, and Capra.

Hussey, R. E. *See* Meuer, Fitzgerald, Hussey, Hodgdon, Schlossman, and Reinherz.

Huston, D. P. *See* Huston, Smith, Huston, and Rich.

Huston, M. M., Smith, R., III, Huston, D. P., and Rich, R. R. Differences in maternal lineages of New Zealand Black mice defined by restriction endonuclease analysis of mitochondrial DNA and by expression of maternally transmitted antigen. 2154

I

Iida, K. *See* Dykman, Cole, Iida, and Atkinson.

Ikezawa, Z., Baxevanis, C. N., Nonaka, M., Abe, R., Tada, T., Nagy, Z. A., and Klein, J. Monoclonal suppressor factor specific for lactate dehydrogenase B. I. Mechanism of interaction between the factor and its target cells. 1855

Inada, S. *See* Pommier, Inada, Fries, Takahashi, Frank, and Brown.

Iribe, H., Koga, T., Kotani, S., Kusumoto, S., and Shiba, T. Stimulating effect of MDP and its adjuvant-active analogues on guinea pig fibroblasts for the production of thymocyte-activating factor. 2190

Isakson, P. C. *See* Pure, Isakson, Kappler, Marrack, Krammer, and Vitetta.

Ishii, N., Nagy, Z. A., and Klein, J. In vitro correlate for a clonal deletion mechanism of immune response gene-controlled nonresponsiveness. 998

Ito, Y. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.

Izui, S. *See* Grau, Puthavathana, Izui, and Lambert.

—, *See* Hang, Slack, Amundson, Izui, Theofilopoulos, and Dixon.

J

Jackson, S., Chused, T. M., Wilkinson, J. M., Leiserson, W. M., and Kindt, T. J. Differentiation antigens identify subpopulations of rabbit T and B lymphocytes. Definition by flow cytometry. 34

James, K. K. *See* Baum, James, Glaviano, and Gewurz.

Jampel, H. D., Duff, G. W., Gershon, R. K., Atkins, E., and Durum, S. K. Fever and immunoregulation. III. Hyperthermia augments the primary in vitro humoral immune response. 1229

Jennings, A. S. *See* Bartlett, Jennings, Yu, Naji, Barker, and Silvers.

Johnson, B. *See* Howard, Mizel, Lachman, Ansel, Johnson, and Paul.

Johnson, B. M. *See* Stein, Zopf, Miller, Johnson, Mongini, Ahmed, and Paul.

Johnson, H. S. *See* Young, Tamura, Johnson, and Miller.

Johnston, M. I. *See* Preble, Rothko, Klippel, Friedman, and Johnston.

Jones, J. M. *See* Hiernaux, Jones, Rudbach, Rollwagen, and Baker.

K

Kabat, E. A. *See* Newman, Sugii, Kabat, Torii, Clevinger, Schilling, Bond, Davie, and Hood.

Kalyanaraman, V. S. *See* Haynes, Robert-Guroff, Metzgar, Franchini, Kalyanaraman, Palker, and Gallo.

—, *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.

Kang, A. H. *See* Hibbs, Postlethwaite, Mainardi, Seyer, and Kang.

—, *See* Postlethwaite, Lachman, Mainardi, and Kang.

Kaplan, G. In vitro differentiation of human monocytes. Monocytes cultured on glass are cytotoxic to tumor cells but monocytes cultured on collagen are not. 2061

Kappler, J. *See* Haskins, Kubo, White, Pigeon, Kappler, and Marrack.

—, *See* Marrack and Kappler.

Kappler, J. W. *See* Pure, Isakson, Kappler, Marrack, Krammer, and Vitetta.

Kärre, K., Seeley, J. K., Eriksson, E., Burton, R. C., and Kiessling, R. "Anomalous" Thy-1$^+$ killer cells in allogeneic and F_1-anti-parental mixed leukocyte culture. Relation to natural killer cells and allospecific cytotoxic T lymphocytes. 385

Katz, D. H. *See* Chen and Katz.

—, *See* Orida, Feldman, Katz, and Liu.

Kaufman, K. *See* Delovitch, Kaufman, and Gorczynski.

Kawakami, M. *See* Pekala, Kawakami, Vine, Lane, and Cerami.

Kawanishi, H., Saltzman, L. E., and Strober, W. Mechanisms regulating IgA class-specific immunoglobulin production in murine gut-associated lymphoid tissues. I. T cells derived from Peyer's patches that switch sIgM B cells to sIgA B cells in vitro. 433

Keesee, S. K., and Owen, F. L. Modulation of Tthy alloantigen expression in the neonatal mouse. The Tthy-bearing thymocyte is a precursor for the peripheral cells expressing Tind and Tsu. 86

Kehrl, J. H., and Fauci, A. S. Identification, purification, and characterization of antigen-activated

and antigen-specific human B lymphocytes. 1692
Kehrl, J. H. *See* Muraguchi, Butler, Kehrl, and Fauci.
Kennedy, M. W., and Thomas, D. B. A regulatory role for the memory B cell as suppressor-inducer of feedback control. 547
Kerjaschki, D., and Farquhar, M. G. Immunocytochemical localization of the Heymann nephritis antigen (GP330) in glomerular epithelial cells of normal Lewis rats. 667
Kiessling, R. *See* Kärre, Seeley, Eriksson, Burton, and Kiessling.
Kimberly, R. P., Gibofsky, A., Salmon, J. E., and Fotino, M. Impaired Fc-mediated mononuclear phagocyte system clearance in *HLA-DR2* and MT1-positive healthy young adults. 1698
Kindt, T. J. *See* Jackson, Chused, Wilkinson, Leiserson, and Kindt.
Kishimoto, S. *See* Okada, Sakaguchi, Yoshimura, Hara, Shimizu, Yoshida, Yoshizaki, Kishimoto, Yamamura, and Kishimoto.
Kishimoto, T. *See* Okada, Sakaguchi, Yoshimura, Hara, Shimizu, Yoshida, Yoshizaki, Kishimoto, Yamamura, and Kishimoto.
Kiyono, H. *See* Eldridge, Kiyono, Michalek, and McGhee.
Klein, J. *See* Ikezawa, Baxevanis, Nonaka, Abe, Tada, Nagy, and Klein.
—, *See* Ishii, Nagy, and Klein.
Klinman, N. R. *See* Denis and Klinman.
—, *See* Zharhary and Klinman.
Klippel, J. H. *See* Preble, Rothko, Klippel, Friedman, and Johnston.
Koffler, D., Biesecker, G., Noble, B., Andres, G. A., and Martinez-Hernandez, A. Localization of the membrane attack complex (MAC) in experimental immune complex glomerulonephritis. 1885
Kofler, R. *See* Prud'homme, Park, Fieser, Kofler, Dixon, and Theofilopoulos.
Koga, T. *See* Iribe, Koga, Kotani, Kusumoto, and Shiba.
Kolb, W. P. *See* Wetsel and Kolb.
Kong, Y.-C. M. *See* Creemers, Rose, and Kong.
Koopman, W. J. *See* Spalding, Koopman, Eldridge, McGhee, and Steinman.
Koppel, G. A. *See* Morgan, Shields, Campbell, Barton, Koppel, and Weigle.
Kotani, S. *See* Iribe, Koga, Kotani, Kusumoto, and Shiba.
Krammer, P. H. *See* Pure, Isakson, Kappler, Marrack, Krammer, and Vitetta.
Krangel, M. S., Taketani, S., Pious, D., and Strominger, J. L. HLA-A2 mutants immunoselected in vitro. Definition of residues contributing to an HLA-A2-specific serological determinant. 324
Kreisle, R. A., and Parker, C. W. Specific binding of leukotriene B_4 to a receptor on human polymorphonuclear leukocytes. 628
Kresina, T. F., and Nisonoff, A. Passive transfer of the idiotypically suppressed state by serum from suppressed mice and transfer of suppression from mothers to offspring. 15
Kruisbeek, A. M., Fultz, M. J., Sharrow, S. O., Singer, A., and Mond, J. J. Early development of the T cell repertoire. In vivo treatment of neonatal mice with anti-Ia antibodies interferes with differentiation of I-restricted T cells but not K/D-restricted T cells. 1932
Kubo, R. *See* Haskins, Kubo, White, Pigeon, Kappler, and Marrack.
Kusumoto, S. *See* Iribe, Koga, Kotani, Kusumoto, and Shiba.

L

La Rosa, F. G., and Talmage, D. W. The failure of a major histocompatibility antigen to stimulate a thyroid allograft reaction after culture in oxygen. 898
Lachman, L. *See* Howard, Mizel, Lachman, Ansel, Johnson, and Paul.
Lachman, L. B. *See* Postlethwaite, Lachman, Mainardi, and Kang.
Lamb, J. R., Skidmore, B. J., Green, N., Chiller, J. M., and Feldmann, M. Induction of tolerance in influenza virus-immune T lymphocyte clones with synthetic peptides of influenza hemagglutinin. 1434
Lambert, P.-H. *See* Grau, Puthavathana, Izui, and Lambert.
Lamm, M. E. *See* Emancipator, Gallo, and Lamm.
Lancki, D. W., Lorber, M. I., Loken, M. R., and Fitch, F. W. A clone-specific monoclonal antibody that inhibits cytolysis of a cytolytic T cell clone. 921
Lando, Z. *See* Ben-Nun, Lando, Dorf, and Burakoff.
Lane, H. C. *See* Butler, Muraguchi, Lane, and Fauci.
Lane, M. D. *See* Pekala, Kawakami, Vine, Lane, and Cerami.
Lattime, E. C., Pecoraro, G. A., and Stutman, O. The activity of natural cytotoxic cells as augmented by interleukin 2 and interleukin 3. 1070
Law, M. L. *See* Naylor, Sakaguchi, Shows, Law, Goeddel, and Gray.
Lazarus, G. S. *See* Hashimoto, Shafran, Webber, Lazarus, and Singer.
LeBien, T. W. *See* Platt, LeBien, and Michael.
Lehmann, K. *See* Epstein, Lehmann, and Cohn.
Leiserson, W. M. *See* Jackson, Chused, Wilkinson, Leiserson, and Kindt.
Leith, D. K., Trevino, L. B., Tully, J. G., Senterfit, L. B., and Baseman, J. B. Host discrimination of *Mycoplasma pneumoniae* proteinaceous immunogens. 502
Leonard, W. J. *See* Cossman, Neckers, Leonard, and Greene.
Lepay, D. A., Nogueira, N., and Cohn, Z. Surface antigens of *Leishmania donovani* promastigotes. 1562
Levy, J. G. *See* Weaver, Singhai, Sikora, and Levy.
Levy, R. B. *See* Shearer and Levy.
Lewis, G. K. *See* Hertel-Wulff, Goodman, Fathman, and Lewis.
—, *See* Hornbeck and Lewis.
Lewis, R. A. *See* Razin, Mencia-Huerta, Stevens, Lewis, Liu, Corey, and Austen.
Liu, F.-T. *See* Orida, Feldman, Katz, and Liu.
—, *See* Razin, Mencia-Huerta, Stevens, Lewis, Liu, Corey, and Austen.

Loblay, R. H., de St. Groth, B. F., Pritchard-Briscoe, H., and Basten, A. Suppressor T cell memory. II. The role of memory suppressor T cells in tolerance to human gamma globulin. 957
Lodmell, D. L. Genetic control of resistance to street rabies virus in mice. 451
Loken, M. R. *See* Lancki, Lorber, Loken, and Fitch.
Lorber, M. I. *See* Lancki, Lorber, Loken, and Fitch.
Lowy, A., Tominaga, A., Drebin, J. A., Takaoki, M., Benacerraf, B., and Greene, M. I. Identification of an I-J$^+$ antigen-presenting cell required for third-order suppressor cell activation. 353
Lü, B.-Z. *See* Couraud, Lü, and Strosberg.
Luce, K. J. *See* Caulfield, Luce, Proffitt, and Cerny.

M

MacPherson, G. G. *See* Pugh, MacPherson, and Steer.
Maeda, M. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.
Mainardi, C. L. *See* Hibbs, Postlethwaite, Mainardi, Seyer, and Kang.
—, *See* Postlethwaite, Lachman, Mainardi, and Kang.
Mannik, M., Agodoa, L. Y. C., and David, K. A. Rearrangement of immune complexes in glomeruli leads to persistence and development of electron-dense deposits. 1516
Marcum, J. A. *See* Dvorak, Galli, Marcum, Nabel, der Simonian, Goldin, Monahan, Pyne, Cantor, Rosenberg, and Dvorak.
Margolies, M. N. *See* Rothstein, Margolies, Gefter, and Marshak-Rothstein.
Marrack, P., and Kappler, J. Use of somatic cell genetics to study chromosomes contributing to antigen plus *I* recognition by T cell hybridomas. 404
—, *See* Haskins, Kubo, White, Pigeon, Kappler, and Marrack.
—, *See* Pure, Isakson, Kappler, Marrack, Krammer, and Vitetta.
Marshak-Rothstein, A. *See* Rothstein, Margolies, Gefter, and Marshak-Rothstein.
Martinez-Hernandez, A. *See* Koffler, Biesecker, Noble, Andres, and Martinez-Hernandez.
Martinez-Maza, O., and Britton, S. Frequencies of the separate human B cell subsets activatible to Ig secretion by Epstein-Barr virus and pokeweed mitogen. 1808
Maryanski, J. *See* Uyttenhove, Maryanski, and Boon.
Mayrhofer, G., and Schon-Hegrad, M. A. Ia antigens in rat kidney, with special reference to their expression in tubular epithelium. 2097
Mazumder, A. *See* Grimm, Ramsey, Mazumder, Wilson, Djeu, and Rosenberg.
McGhee, J. R. *See* Eldridge, Kiyono, Michalek, and McGhee.
—, *See* Spalding, Koopman, Eldridge, McGhee, and Steinman.
Meade, R. *See* Van Loveren, Meade, and Askenase.
Mencia-Huerta, J.-M. *See* Razin, Mencia-Huerta, Stevens, Lewis, Liu, Corey, and Austen.
Metcalf, E. S. *See* Mongini, Paul, and Metcalf.
Metzgar, R. S. *See* Haynes, Robert-Guroff, Metzgar, Franchini, Kalyanaraman, Palker, and Gallo.
Meuer, S. C., Fitzgerald, K. A., Hussey, R. E., Hodgdon, J. C., Schlossman, S. F., and Reinherz, E. L. Clonotypic structures involved in antigen-specific human T cell function. Relationship to the T3 molecular complex. 705
Michael, A. F. *See* Platt, LeBien, and Michael.
Michalek, S. M. *See* Eldridge, Kiyono, Michalek, and McGhee.
Michl, J., Pieczonka, M. M., Unkeless, J. C., Bell, G. I., and Silverstein, S. C. Fc receptor modulation in mononuclear phagocytes maintained on immobilized immune complexes occurs by diffusion of the receptor molecule. 2121
—, **Unkeless, J. C., Pieczonka, M. M., and Silverstein, S. C.** Modulation of Fc receptors of mononuclear phagocytes by immobilized antigen-antibody complexes. Quantitative analysis of the relationship between ligand number and Fc receptor response. 1746
Miller, C. A. *See* Abo, Miller, Gartland, and Balch.
Miller, C. B. *See* Stein, Zopf, Miller, Johnson, Mongini, Ahmed, and Paul.
Miller, D. A. *See* Young, Tamura, Johnson, and Miller.
Mills, C. D., and North, R. J. Expression of passively transferred immunity against an established tumor depends on generation of cytolytic T cells in recipient. Inhibition by suppressor T cells. 1448
Minami, M., Okuda, K., Furusawa, S., and Dorf, M. E. Analysis of T cell hybridomas. IV. Characterization of inducible suppressor cell hybridomas. 1379
—, *See* Aoki, Minami, and Dorf.
—, *See* Sherr, Minami, Okuda, and Dorf.
Mingari, M. C. *See* Moretta, Pantaleo, Moretta, Cerottini, and Mingari.
Mizel, S. B. *See* Howard, Mizel, Lachman, Ansel, Johnson, and Paul.
Monahan, R. A. *See* Dvorak, Galli, Marcum, Nabel, der Simonian, Goldin, Monahan, Pyne, Cantor, Rosenberg, and Dvorak.
Mond, J. J. *See* Kruisbeek, Fultz, Sharrow, Singer, and Mond.
Mongini, P. K. A., Paul, W. E., and Metcalf, E. S. IgG subclass, IgE, and IgA anti-trinitrophenyl antibody production within trinitrophenyl-Ficoll-responsive B cell clones. Evidence in support of three distinct switching pathways. 69
—, *See* Stein, Zopf, Miller, Johnson, Mongini, Ahmed, and Paul.
Monroe, J. G., and Cambier, J. C. B cell activation. I. Anti-immunoglobulin-induced receptor cross-linking results in a decrease in the plasma membrane potential of murine B lymphocytes. 2073
Moretta, A., Pantaleo, G., Moretta, L., Cerottini, J.-C., and Mingari, M. C. Direct demonstration of the clonogenic potential of every human peripheral blood T cell. Clonal analysis of HLA-DR expression and cytolytic activity. 743
Moretta, L. *See* Moretta, Pantaleo, Moretta, Cerottini, and Mingari.
Morgan, E. L., Shields, J. E., Campbell, C. S., Barton, R. L., Koppel, G. A., and Weigle, W. O. Syn-

thetic Fc peptide-mediated regulation of the immune response. I. Characterization of the immunomodulating properties of a synthetic 23-amino acid peptide derived from the sequence of the CH_3 domain of human IgG_1. 947

Moroni, C. *See* Stoye and Moroni.

Müllbacher, A., Blanden, R. V., and Brenan, M. Neonatal tolerance of major histocompatibility complex antigens alters Ir gene control of the cytotoxic T cell response to vaccinnia virus. 1324

Müller-Eberhard, H. J. *See* Pangburn, Schreiber, and Muller-Eberhard.

Munoz, J. J. *See* Sewell, Munoz, and Vadas.

Muraguchi, A., Butler, J. L., Kehrl, J. H., and Fauci, A. S. Differential sensitivity of human B cell subsets to activation signals delivered by anti-μ-antibody and proliferative signals delivered by a monoclonal B cell growth factor. 530

—, *See* Butler, Muraguchi, Lane, and Fauci.

N

Nabel, G. *See* Dvorak, Galli, Marcum, Nabel, der Simonian, Goldin, Monahan, Pyne, Cantor, Rosenberg, and Dvorak.

Nadler, L. M. *See* Hokland, Rosenthal, Griffin, Nadler, Daley, Hokland, Schlossman, and Ritz.

Nagy, Z. A. *See* Ikezawa, Baxevanis, Nonaka, Abe, Tada, Nagy, and Klein.

—, *See* Ishii, Nagy, and Klein.

Naji, A. *See* Bartlett, Jennings, Yu, Naji, Barker, and Silvers.

Naji, M. *See* Silvers, Collins, and Naji.

Nakajima, P. B., Ochi, A., Owen, F. L., and Tada, T. Presence of IgT-C and I-A subregion-encoded determinants on distinct chains of monoclonal antigen-specific augmenting factor derived from a T cell hybridoma. 2110

Nakao, Y. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.

Nardin, E. H. *See* Zavala, Cochrane, Nardin, Nussenzweig, and Nussenzweig.

Naylor, S. L., Sakaguchi, A. Y., Shows, T. B., Law, M. L., Goeddel, D. V., and Gray, P. W. Human immune interferon gene is located on chromosome 12. 1020

Neckers, L. M. *See* Cossman, Neckers, Leonard, and Greene.

Nelson, D. L. *See* Yarchoan, Tosato, Blaese, Simon, and Nelson.

Nelson, P. A. *See* Beck, Nelson, and Fathman.

Newman, B., Sugii, S., Kabat, E. A., Torii, M., Clevinger, B. L., Schilling, J., Bond, M., Davie, J. M., and Hood, L. Combining site specificities of mouse hybridoma antibodies to dextran B1355S. 130

Niederhuber, J. E. *See* Hillstrom and Niederhuber.

Nisonoff, A. *See* Kresina and Nisonoff.

Noble, B. *See* Koffler, Biesecker, Noble, Andres, and Martinez-Hernandez.

Noegel, A., and Gotschlich, E. C. Isolation of a high molecular weight polyphosphate from *Neisseria gonorrhoeae*. 2049

Nogueira, N. *See* Lepay, Nogueira, and Cohn.

Nonaka, M. *See* Ikezawa, Baxevanis, Nonaka, Abe, Tada, Nagy, and Klein.

North, R. J. *See* Mills and North.

Nunez, G. *See* Giles, Nunez, Hurley, Nunez-Roldan, Winchester, Stastny, and Capra.

Nunez-Roldan, A. *See* Giles, Nunez, Hurley, Nunez-Roldan, Winchester, Stastny, and Capra.

Nussenzweig, M. C. *See* Steinman, Gutchinov, Witmer, and Nussenzweig.

Nussenzweig, R. S. *See* Zavala, Cochrane, Nardin, Nussenzweig, and Nussenzweig.

Nussenzweig, V. *See* Zavala, Cochrane, Nardin, Nussenzweig, and Nussenzweig.

O

Ochi, A. *See* Nakajima, Ochi, Owen, and Tada.

O'Donnell, M. C., Ackerman, S. J., Gleich, G. J., and Thomas, L. L. Activation of basophil and mast cell histamine release by eosinophil granule major basic protein. 1981

Okada, M., Sakaguchi, N., Yoshimura, N., Hara, H., Shimizu, K., Yoshida, N., Yoshizaki, K., Kishimoto, S., Yamamura, Y., and Kishimoto, T. B cell growth factors and B cell differentiation factor from human T hybridomas. Two distinct kinds of B cell growth factor and their synergism in B cell proliferation. 583

Okuda, K. *See* Minami, Okuda, Furusawa, and Dorf.

—, *See* Sherr, Minami, Okuda, and Dorf.

Oligino, L. D. *See* Hommel, David, and Oligino.

Orida, N., Feldman, J. D., Katz, D. H., and Liu, F.-T. IgE-mediated chemotaxis of rat basophilic leukemia cells towards specific antigen. 2166

Owen, F. L. Tpre, a new alloantigen encoded in the IgT-C region of chromosome 12, is expressed on bne marrow of nude mice, fetal T cell hybrids, and fetal thymus. 419

—, *See* Keesee and Owen.

—, *See* Nakajima, Ochi, Owen, and Tada.

P

Palker, T. J. *See* Haynes, Robert-Guroff, Metzgar, Franchini, Kalyanaraman, Palker, and Gallo.

Palladino, M. A. *See* Austyn, Steinman, Weinstein, Granelli-Piperno, and Palladino.

Pals, S. T. *See* Rolink, Pals, and Gleichmann.

Pangburn, M. K., Schreiber, R. D., and Müller-Eberhard, H. J. Paroxysmal nocturnal hemoglobinuria: deficiency in factor H-like functions of the abnormal erythrocytes. 1971

Pantaleo, G. *See* Moretta, Pantaleo, Moretta, Cerottini, and Mingari.

Park, C. L. *See* Prud'homme, Park, Fieser, Kofler, Dixon, and Theofilopoulos.

Parker, C. W. *See* Kreisle and Parker.

Parks, D. R. *See* Hayakawa, Hardy, Parks, and Herzenberg.

Paul, W. E. *See* Howard, Mizel, Lachman, Ansel, Johnson, and Paul.

Paul, W. E. *See* Mongini, Paul, and Metcalf.
—, *See* Stein, Zopf, Miller, Johnson, Mongini, Ahmed, and Paul.
Pecoraro, G. A. *See* Lattime, Pecoraro, and Stutman.
Pekala, P., Kawakami, M., Vine, W., Lane, M. D., and Cerami, A. Studies of insulin resistance in adipocytes induced by macrophage mediator. 1360
Pène, J., Bekkhoucha, F., Desaymard, C., Zaghouani, H., and Stanislawski, M. Induction of a cross-reactive idiotype dextran-positive antibody response in two Igh-C^b mouse strains treated with anti-J558 cross-reactive idiotype antibodies. 1573
Peterson, K. M., Baseman, J. B., and Alderete, J. F. *Treponema pallidum* receptor binding proteins interact with fibronectin. 1958
Pettersson, S. *See* Bandeira, Pobor, Pettersson, and Coutinho.
Pieczonka, M. M. *See* Michl, Pieczonka, Unkeless, Bell, and Silverstein.
—, *See* Michl, Unkeless, Pieczonka, and Silverstein.
Pigeon, M. *See* Haskins, Kubo, White, Pigeon, Kappler, and Marrack.
Pious, D. *See* Krangel, Taketani, Pious, and Strominger.
Platt, J. L., LeBien, T. W., and Michael, A. F. Stages of renal ontogenesis identified by monoclonal antibodies reactive with lymphohemopoietic differentiation antigens. 155
Pober, J. S., Gimbrone, M. A. Jr., Cotran, R. S., Reiss, C. S., Burakoff, S. J., Fiers, W., and Ault, K. A. Ia expression by vascular endothelium is inducible by activated T cells and by human γ-interferon. 1339
Pobor, G. *See* Bandeira, Pobor, Pettersson, and Coutinho.
Podack, E. R. *See* Dennert and Podack.
Pommier, C. G., Inada, S., Fries, L. F., Takahashi, T., Frank, M. M., and Brown, E. J. Plasma fibronectin enhances phagocytosis of opsonized particles by human peripheral blood monocytes. 1844
Popovic, M. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.
Postlethwaite, A. E., Lachman, L. B., Mainardi, C. L., and Kang, A. H. Interleukin 1 stimulation of collagenase production by cultured fibroblasts. 801
—, *See* Hibbs, Postlethwaite, Mainardi, Seyer, and Kang.
Potter, M. *See* Clarke, Claflin, Potter, and Rudikoff.
Preble, O. T., Rothko, K., Klippel, J. H., Friedman, R. M., and Johnston, M. I. Interferon-induced 2'-5' adenylate synthetase in vivo and interferon production in vitro by lymphocytes from systemic lupus erythematosus patients with and without circulating interferon. 2140
Pritchard-Briscoe, H. *See* Loblay, de St. Groth, Pritchard-Briscoe, and Basten.
Proffitt, M. R. *See* Caulfield, Luce, Proffitt, and Cerny.
Prud'homme, G. J., Balderas, R. S., Dixon, F. J., and Theofilopoulos, A. N. B cell dependence on and response to accessory signals in murine lupus strains. 1815
Prud'homme, G. J., Park, C. L., Fieser, T. M., Kofler, R., Dixon, F. J., and Theofilopoulos, A. N. Identification of a B cell differentiation factor(s) spontaneously produced by proliferating T cells in murine lupus strains of the *lpr/lpr* genotype. 730
Ptak, W. *See* Askenase, Rosenstein, and Ptak.
Pugh, C. W., MacPherson, G. G., and Steer, H. W. Characterization of nonlymphoid cells derived from rat peripheral lymph. 1758
Pure, E., Isakson, P. C., Kappler, J. W., Marrack, P., Krammer, P. H., and Vitetta, E. S. T cell-derived B cell growth and differentiation factors. Dichotomy between the responsiveness of B cells from adult and neonatal mice. 600
Puthavathana, P. *See* Grau, Puthavathana, Izui, and Lambert.
Pyne, K. *See* Dvorak, Galli, Marcum, Nabel, der Simonian, Goldin, Monahan, Pyne, Cantor, Rosenberg, and Dvorak.

R

Rabinovitch, M. *See* Shepherd, Stahl, Bernd, and Rabinovitch.
Ramsey, K. M. *See* Grimm, Ramsey, Mazumder, Wilson, Djeu, and Rosenberg.
Razin, E., Mencia-Huerta, J.-M., Stevens, R. L., Lewis, R. A., Liu, F.-T., Corey, E. J., and Austen, K. F. IgE-mediated release of leukotriene C_4, chondroitin sulfate E proteoglycan, β-hexosaminidase, and histamine from cultured bone marrow-derived mouse mast cells. 189
Reichert, R. A., Gallatin, W. M., Weissman, I. L., and Butcher, E. C. Germinal center B cells lack homing receptors necessary for normal lymphocyte recirculation. 813
Reinherz, E. L. *See* Meuer, Fitzgerald, Hussey, Hodgdon, Schlossman, and Reinherz.
Reiss, C. S. *See* Pober, Gimbrone, Cotran, Reiss, Burakoff, Fiers, and Ault.
Rich, R. R. *See* Huston, Smith, Huston, and Rich.
Ritz, J. *See* Hokland, Rosenthal, Griffin, Nadler, Daley, Hokland, Schlossman, and Ritz.
Robert-Guroff, M., Kalyanaraman, V. S., Blattner, W. A., Popovic, M., Sarngadharan, M. G., Maeda, M., Blayney, D., Catovsky, D., Bunn, P. A., Shibata, A., Nakao, Y., Ito, Y., Aoki, T., and Gallo, R. C. Evidence for human T cell lymphoma-leukemia virus infection of family members of human T cell lymphoma-leukemia virus positive T cell leukemia-lymphoma patients. 248
Robert-Guroff, M. *See* Haynes, Robert-Guroff, Metzgar, Franchini, Kalyanaraman, Palker, and Gallo.
Rock, K. L., and Benacerraf, B. Inhibition of antigen-specific T lymphocyte activation by structurally related Ir gene-controlled polymers: evidence of specific competition for accessory cell antigen presentation. 1618
—, **and Benacerraf, B.** The role of Ia molecules in the activation of T lymphocytes. III. Antigen-specific, Ia-restricted, interleukin 2-producing T cell hybridomas with detectable affinity for the

restricting I-A molecule. 359
Rodkey, L. S., and Adler, F. L. Regulation of natural antiallotype antibody responses by idiotype network-induced auto-antiidiotypic antibodies. 1920
Rolink, A. G., Pals, S. T., and Gleichmann, E. Allosuppressor and allohelper T cells in acute and chronic graft-vs.-host disease. II. F_1 recipients carrying mutations at H-2K and/or I-A. 755
Rollwagen, F. *See* Hiernaux, Jones, Rudbach, Rollwagen, and Baker.
Rose, N. R. *See* Creemers, Rose, and Kong.
Rosenberg, R. D. *See* Dvorak, Galli, Marcum, Nabel, der Simonian, Goldin, Monahan, Pyne, Cantor, Rosenberg, and Dvorak.
Rosenberg, S. A. *See* Grimm, Ramsey, Mazumder, Wilson, Djeu, and Rosenberg.
Rosenstein, R. W. *See* Askenase, Rosenstein, and Ptak.
Rosenthal, P. *See* Hokland, Rosenthal, Griffin, Nadler, Daley, Hokland, Schlossman, and Ritz.
Ross, M. J. *See* Coe and Ross.
Rothenberg, E., and Triglia, D. Lyt-2 glycoprotein is synthesized as a single molecular species. 365
Rothko, K. *See* Preble, Rothko, Klippel, Friedman, and Johnston.
Rothstein, T. L., Margolies, M. N., Gefter, M. L., and Marshak-Rothstein, A. Fine specificity of idiotope suppression in the A/J anti-azophenylarsonate response. 795
Rudbach, J. A. *See* Hiernaux, Jones, Rudbach, Rollwagen, and Baker.
Rudikoff, S. *See* Clarke, Claflin, Potter, and Rudikoff.

S

Sachs, D. H. *See* Auchincloss, Bluestone, and Sachs.
Sakaguchi, A. Y. *See* Naylor, Sakaguchi, Shows, Law, Goeddel, and Gray.
Sakaguchi, N. *See* Okada, Sakaguchi, Yoshimura, Hara, Shimizu, Yoshida, Yoshizaki, Kishimoto, Yamamura, and Kishimoto.
Salmon, J. E. *See* Kimberly, Gibofsky, Salmon, and Fotino.
Saltzman, L. E. *See* Kawanishi, Saltzman, and Strober.
Sarngadharan, M. G. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.
Scheiderer, L. *See* Aldo-Benson and Scheiderer.
Schilling, J. *See* Newman, Sugii, Kabat, Torii, Clevinger, Schilling, Bond, Davie, and Hood.
Schirrmacher, V. *See* Fogel, Altevogt, and Schirrmacher.
Schlossman, S. F. *See* Hokland, Rosenthal, Griffin, Nadler, Daley, Hokland, Schlossman, and Ritz.
—, *See* Meuer, Fitzgerald, Hussey, Hodgdon, Schlossman, and Reinherz.
Schon-Hegrad, M. A. *See* Mayrhofer and Schon-Hegrad.
Schreiber, H. *See* Urban and Schreiber.
Schreiber, R. D. *See* Pangburn, Schreiber, and Müller-Eberhard.
Schwab, J. H. *See* Chetty, Brown, and Schwab.
Schwab, R. *See* Swain, Dutton, Schwab, and Yamamoto.
Schwartz, S. A. *See* Bishop, Glorioso, and Schwartz.
Sedgwick, J. D., and Holt, P. G. Kinetics and distribution of antigen-specific IgE-secreting cells during the primary antibody response in the rat. 2178
Seeley, J. K. *See* Kärre, Seeley, Eriksson, Burton, and Kiessling.
Senterfit, L. B. *See* Leith, Trevino, Tully, Senterfit, and Baseman.
Sewell, W. A., Munoz, J. J., and Vadas, M. A. Enhancement of the intensity, persistence, and passive transfer of delayed-type hypersensitivity lesions by pertussigen in mice. 2087
Seyer, J. M. *See* Hibbs, Postlethwaite, Mainardi, Seyer, and Kang.
Shafran, K. M. *See* Hashimoto, Shafran, Webber, Lazarus, and Singer.
Shapiro, H. M. *See* Cotner, Williams, Christenson, Shapiro, Strom, and Strominger.
Sharrow, S. O. *See* Kruisbeek, Fultz, Sharrow, Singer, and Mond.
Shaw, S. *See* Tekolf and Shaw.
Shearer, G. M., and Levy, R. B. Graft-vs.-host-associated immune suppression is activated by recognition of allogeneic murine I-A antigens. 936
Shen, F.-W. *See* Yakura, Shen, Bourcet, and Boyse.
Shepherd, V. L., Stahl, P. D., Bernd, P., and Rabinovitch, M. Receptor-mediated entry of β-glucuronidase into the parasitophorous vacuoles of macrophages infected with *Leishmania mexicana amazonensis*. 1471
Sherr, D. H., Minami, M., Okuda, K., and Dorf, M. E. Analysis of T cell hybridomas. III. Distinctions between two types of hapten-specific supressor factors that affect plaque-forming cell responses. 515
Shevach, E. M. *See* Dos Reis and Shevach.
Shiba, T. *See* Iribe, Koga, Kotani, Kusumoto, and Shiba.
Shibata, A. *See* Robert-Guroff, Kalyanaraman, Blattner, Popovic, Sarngadharan, Maeda, Blayney, Catovsky, Bunn, Shibata, Nakao, Ito, Aoki, and Gallo.
Shields, J. E. *See* Morgan, Shields, Campbell, Barton, Koppel, and Weigle.
Shimizu, K. *See* Okada, Sakaguchi, Yoshimura, Hara, Shimizu, Yoshida, Yoshizaki, Kishimoto, Yamamura, and Kishimoto.
Shows, T. B. *See* Naylor, Sakaguchi, Shows, Law, Goeddel, and Gray.
Sikora, L. *See* Weaver, Singhai, Sikora, and Levy.
Silvers, W. K., Collins, N. H., and Naji, M. Influence of size and gene dosage on the survival of skin allografts on rats rendered tolerant at birth. 591
—, *See* Bartlett, Jennings, Yu, Naji, Barker, and Silvers.
Silverstein, S. C. *See* Michl, Pieczonka, Unkeless, Bell, and Silverstein.
—, *See* Michl, Unkeless, Pieczonka, and Silverstein.
Simon, R. M. *See* Yarchoan, Tosato, Blaese, Simon, and Nelson.
Singer, A. *See* Hodes, Hathcock, and Singer.
—, *See* Kruisbeek, Fultz, Sharrow, Singer, and Mond.

Singer, K. H. *See* Hashimoto, Shafran, Webber, Lazarus, and Singer.
Singer, W. E. *See* Wallach, Verma, and Singer.
Singhai, R. *See* Weaver, Singhai, Sikora, and Levy.
Siskind, G. W. *See* Goidl, Choy, Gibbons, Weksler, Thorbecke, and Siskind.
Skidmore, B. J. *See* Lamb, Skidmore, Green, Chiller, and Feldmann.
Slack, J. H. *See* Hang, Slack, Amundson, Izui, Theofilopoulos, and Dixon.
Smith, R., III *See* Huston, Smith, Huston, and Rich.
Spalding, D. M., Koopman, W. J., Eldridge, J. H., McGhee, J. R., and Steinman, R. M. Accessory cells in murine Peyer's patch. I. Identification and enrichment of a functional dendritic cell. 1646
Stahl, P. D. *See* Shepherd, Stahl, Bernd, and Rabinovitch.
Stanislawski, M. *See* Pène, Bekkhoucha, Desaymard, Zaghouani, and Stanislawski.
Stassin, V. *See* Van Snick, Stassin, and de Lestré.
Stastny, P. *See* Giles, Nunez, Hurley, Nunez-Roldan, Winchester, Stastny, and Capra.
Staudt, L. M., and Gerhard, W. Generation of antibody diversity in the immune response of BALB/c mice to influenza virus hemagglutinin. I. Significant variation in repertoire expression between individual mice. 687
Steer, H. W. *See* Pugh, MacPherson, and Steer.
Stein, K. E., Zopf, D. A., Miller, C. B., Johnson, B. M., Mongini, P. K. A., Ahmed, A., and Paul, W. E. Immune response to a thymus-dependent form of B512 dextran requires the presence of Lyb-5$^+$ lymphocytes. 657
Steinman, R. M., Gutchinov, B., Witmer, M. D., and Nussenzweig, M. C. Dendritic cells are the principal stimulators of the primary mixed leukocyte reactions in mice. 613
—, *See* Austyn, Steinman, Weinstein, Granelli-Piperno, and Palladino.
—, *See* Spalding, Koopman, Eldridge, McGhee, and Steinman.
Stevens, R. L. *See* Razin, Mencia-Huerta, Stevens, Lewis, Liu, Corey, and Austen.
Stevenson, F. K., Stevenson, G. T., and Tutt, A. L. The export of immunoglobulin D by human neoplastic B lymphocytes. 337
Stevenson, G. T. *See* Stevenson, Stevenson, and Tutt.
Stoye, J. P., and Moroni, C. Endogenous retrovirus expression in stimulated murine lymphocytes. Identification of a new locus controlling mitogen induction of a defective virus. 1660
Streilein, J. W., and Bergstresser, P. R. Haptens can serve as surrogate transplantation antigens in a manner that demonstrates H-2 restriction of graft rejection. 1354
Strober, W. *See* Kawanishi, Saltzman, and Strober.
Strom, T. B. *See* Cotner, Williams, Christenson, Shapiro, Strom, and Strominger.
Strominger, J. *See* Cotner, Williams, Christenson, Shapiro, Strom, and Strominger.
Strominger, J. L. *See* Krangel, Taketani, Pious, and Strominger.
Strosberg, A. D. *See* Couraud, Lü, and Strosberg.
Stutman, O. *See* Lattime, Pecoraro, and Stutman.
Sugii, S. *See* Newman, Sugii, Kabat, Torii, Clevinger, Schilling, Bond, Davie, and Hood.
Swain, S. L., Dutton, R. W., Schwab, R., and Yamamoto, J. Xenogeneic human anti-mouse T cell responses are due to the activity of the same functional T cell subsets responsible for allospecific and major histocompatibility complex-restricted responses. 720
Swanson, J., and Barrera, O. Immunological characteristics of gonococcal outer membrane protein II assessed by immunoprecipitation, immunoblotting, and coagglutination. 1405

T

Tada, T. *See* Ikezawa, Baxevanis, Nonaka, Abe, Tada, Nagy, and Klein.
—, *See* Nakajima, Ochi, Owen, and Tada.
Takahashi, T. *See* Pommier, Inada, Fries, Takahashi, Frank, and Brown.
Takaoki, M. *See* Lowy, Tominaga, Drebin, Takaoki, Benacerraf, and Greene.
Taketani, S. *See* Krangel, Taketani, Pious, and Strominger.
Talmage, D. W. *See* La Rosa and Talmage.
Tamura, N. *See* Fujita and Tamura.
Tamura, Y. *See* Young, Tamura, Johnson, and Miller.
Tanigaki, N., Tosi, R., Duquesnoy, R. J., and Ferrara, G. B. Three Ia species with different structures and alloantigenic determinants in an HLA-homozygous cell line. 231
Tekolf, W. A., and Shaw, S. In vitro generation of cytotoxic cells specific for human minor histocompatibility antigens by lymphocytes from a normal donor potentially primed during pregnancy. 2172
Theofilopoulos, A. N. *See* Hang, Slack, Amundson, Izui, Theofilopoulos, and Dixon.
—, *See* Prud'homme, Balderas, Dixon, and Theofilopoulos.
—, *See* Prud'homme, Park, Fieser, Kofler, Dixon, and Theofilopoulos.
Thoman, M., and Weigle, W. O. Deficiency in suppressor T cell activity in aged animals. Reconstitution of this activity by interleukin 2. 2184
Thomas, D. B. *See* Kennedy and Thomas.
Thomas, L. L. *See* O'Donnell, Ackerman, Gleich, and Thomas.
Thompson, G. S. *See* Friedman and Thompson.
Thorbecke, G. J. *See* Goidl, Choy, Gibbons, Weksler, Thorbecke, and Siskind.
Tominaga, A. *See* Lowy, Tominaga, Drebin, Takaoki, Benacerraf, and Greene.
Torii, M. *See* Newman, Sugii, Kabat, Torii, Clevinger, Schilling, Bond, Davie, and Hood.
Tosato, G. *See* Yarchoan, Tosato, Blaese, Simon, and Nelson.
Tosi, R. *See* Tanigaki, Tosi, Duquesnoy, and Ferrara.
Trevino, L. B. *See* Leith, Trevino, Tully, Senterfit, and Baseman.
Triglia, D. *See* Rothenberg and Triglia.
Tully, J. G. *See* Leith, Trevino, Tully, Senterfit, and Baseman.

Turco, J., and Winkler, H. H. Inhibition of the growth of *Rickettsia prowazekii* in cultured fibroblasts by lymphokines. 974
Tutt, A. L. *See* Stevenson, Stevenson, and Tutt.

U

Unkeless, J. C. *See* Michl, Pieczonka, Unkeless, Bell, and Silverstein.
—, *See* Michl, Unkeless, Pieczonka, and Silverstein.
Urban, J. L., and Schreiber, H. Selection of macrophage-resistant progressor tumor variants by the normal host. Requirement for concomitant T cell-mediated immunity. 642
Uyttenhove, C., Maryanski, J., and Boon, T. Escape of mouse mastocytoma P815 after nearly complete rejection is due to antigen-loss variants rather than immunosuppression. 1040

V

Vadas, M. A. *See* Sewell, Munoz, and Vadas.
Van Loveren, H., Meade, R., and Askenase, P. W. An early component of delayed-type hypersensitivity mediated by T cells and mast cells. 1604
Van Pel, A., Vessière, F., and Boon, T. Protection against two spontaneous mouse leukemias conferred by immunogenic variants obtained by mutagenesis. 1992
Van Snick, J. L., Stassin, V., and de Lestré, B. Isotypic and allotypic specificity of mouse rheumatoid factors. 1006
Veith, M. C., and Butterworth, A. E. Enhancement of human eosinophil-mediated killing of *Schistosoma mansoni* larvae by mononuclear cell products in vitro. 1828
Verma, S. P. *See* Wallach, Verma, and Singer.
Vessière, F. *See* Van Pel, Vessiere, and Boon.
Vine, W. *See* Pekala, Kawakami, Vine, Lane, and Cerami.
Vitetta, E. S. *See* Pure, Isakson, Kappler, Marrack, Krammer, and Vitetta.

W

Waddell, A. *See* Wisseman and Waddell.
Wallach, D. F. H., Verma, S. P., and Singer, W. E. A protein anomaly in erythrocyte membranes of patients with duchenne muscular dystrophy. 2017
Watson, A. J. *See* Groner, Watson, and Bach.
Weaver, M., Singhai, R., Sikora, L., and Levy, J. G. Identification of an idiotypic marker of a major regulatory T cell of the immune response in B10.BR mice to ferredoxin. The relationship of idiotypic regulation to conventional hapten-carrier effects. 285
Webber, P. S. *See* Hashimoto, Shafran, Webber, Lazarus, and Singer.
Weigle, W. O. *See* Morgan, Shields, Campbell, Barton, Koppel, and Weigle.
—, *See* Thoman and Weigle.
Weinstein, D. E. *See* Austyn, Steinman, Weinstein, Granelli-Piperno, and Palladino.
Weissman, I. L. *See* Fink, Weissman, and Bevan.
—, *See* Reichert, Gallatin, Weissman, and Butcher.
Weksler, M. E. *See* Goidl, Choy, Gibbons, Weksler, Thorbecke, and Siskind.
Werb, Z. *See* Banda, Clark, and Werb.
Wetsel, R. A., and Kolb, W. P. Expression of C5a-like biological activities by the fifth component of human complement (C5) upon limited digestion with noncomplement enzymes without release of polypeptide fragments. 2029
White, J. *See* Haskins, Kubo, White, Pigeon, Kappler, and Marrack.
Wigzell, H. *See* Binz, Fenner, Frei, and Wigzell.
Wilkinson, J. M. *See* Jackson, Chused, Wilkinson, Leiserson, and Kindt.
Williams, J. M. *See* Cotner, Williams, Christenson, Shapiro, Strom, and Strominger.
Wilson, D. J. *See* Grimm, Ramsey, Mazumder, Wilson, Djeu, and Rosenberg.
Winchester, R. *See* Giles, Nunez, Hurley, Nunez-Roldan, Winchester, Stastny, and Capra.
Winkler, H. H. *See* Turco and Winkler.
Wisseman, C. L., and Waddell, A. Interferonlike factors from antigen- and mitogen-stimulated human leukocytes with antirickettsial and cytolytic actions on *Rickettsia prowazekii*.Infected human endothelial cells, fibroblasts, and macrophages. 1780
Witmer, M. D. *See* Steinman, Gutchinov, Witmer, and Nussenzweig.

Y

Yakura, H., Shen, F.-W., Bourcet, E., and Boyse, E. A. On the function of Ly-5 in the regulation of antigen-driven B cell differentiation. Comparison and contrast with Lyb-2. 1077
Yamamoto, J. *See* Swain, Dutton, Schwab, and Yamamoto.
Yamamura, Y. *See* Okada, Sakaguchi, Yoshimura, Hara, Shimizu, Yoshida, Yoshizaki, Kishimoto, Yamamura, and Kishimoto.
Yarchoan, R., Tosato, G., Blaese, R. M., Simon, R. M., and Nelson, D. L. Limiting dilution analysis of Epstein-Barr virus-induced immunoglobulin production by human B cells. 1
Yoshida, N. *See* Okada, Sakaguchi, Yoshimura, Hara, Shimizu, Yoshida, Yoshizaki, Kishimoto, Yamamura, and Kishimoto.
Yoshimura, N. *See* Okada, Sakaguchi, Yoshimura, Hara, Shimizu, Yoshida, Yoshizaki, Kishimoto, Yamamura, and Kishimoto.
Yoshizaki, K. *See* Okada, Sakaguchi, Yoshimura, Hara, Shimizu, Yoshida, Yoshizaki, Kishimoto, Yamamura, and Kishimoto.
Young, W. W., Jr., Tamura, Y., Johnson, H. S., and Miller, D. A. Decreased glycolipid antigen expression in lymphoma cell variants escaping from anti-glycolipid serotherapy. 24
Yu, C. *See* Bartlett, Jennings, Yu, Naji, Barker, and Silvers.

Z

Zaghouani, H. *See* Pène, Bekkhoucha, Desaymard, Zaghouani, and Stanislawski.

Zavala, F., Cochrane, A. H., Nardin, E. H., Nussenzweig, R. S., and Nussenzweig, V. Circumsporozoite proteins of malaria parasites contain a single immunodominant region with two or more identical epitopes. 1947

Zharhary, D., and Klinman, N. R. Antigen responsiveness of the mature and generative B cell populations of aged mice. 1300

Zopf, D. A. *See* Stein, Zopf, Miller, Johnson, Mongini, Ahmed, and Paul.

Zvaifler, N. J. *See* Goto and Zvaifler.

—, *See* Hasler, Bluestein, Zvaifler, and Epstein.

THE JOURNAL OF EXPERIMENTAL MEDICINE

Edited by

Anthony Cerami Zanvil A. Cohn Henry G. Kunkel Maclyn McCarty

Assistant Editors

Allan R. Goldberg Carl Nathan Ralph Steinman

Advisory Editors

K. Frank Austen
Dorothy F. Bainton
Baruj Benacerraf
Dorothea Bennett
Rupert E. Billingham
Barry R. Bloom
Constantin A. Bona
Jean-Charles Cerottini
John R. David
Frank J. Dixon
Shu Man Fu
Emil C. Gotschlich
Hidesaburo Hanafusa
Thomas J. Kindt
Seymour J. Klebanoff
Norman R. Klinman
Richard M. Krause
Frank Lilly
Hans J. Müller-Eberhard
Ralph L. Nachman
Robert J. North
Victor Nussenzweig
William E. Paul
Benvenuto Pernis
Robert R. Rich
David H. Sachs
Gene M. Shearer
Jonathan Sprent
Jonathan W. Uhr
William O. Weigle
Darcy B. Wilson
Henry J. Winn
Rolf M. Zinkernagel

VOLUME 157

1983

PUBLISHED MONTHLY BY

THE ROCKEFELLER UNIVERSITY PRESS

Copyright © 1983 by The Rockefeller University Press

CONTENTS

Volume 157 No. 1 January 1, 1983

1 ROBERT YARCHOAN, GIOVANNA TOSATO, R. MICHAEL BLAESE, RICHARD M. SIMON, and DAVID L. NELSON. Limiting dilution analysis of Epstein-Barr virus-induced immunoglobulin production by human B cells

15 THOMAS F. KRESINA and ALFRED NISONOFF. Passive transfer of the idiotypically suppressed state by serum from suppressed mice and transfer of suppression from mothers to offspring

24 WILLIAM W. YOUNG, JR., YOSHIKO TAMURA, HELEN S. JOHNSON, and DOROTHY A. MILLER. Decreased glycolipid antigen expression in lymphoma cell variants escaping from anti-glycolipid serotherapy

34 SUSAN JACKSON, THOMAS M. CHUSED, J. MICHAEL WILKINSON, WILLIAM M. LEISERSON, and THOMAS J. KINDT. Differentiation antigens identify subpopulations of rabbit T and B lymphocytes. Definition by flow cytometry

47 MARGARET S. HIBBS, ARNOLD E. POSTLETHWAITE, CARLO L. MAINARDI, JEROME M. SEYER, and ANDREW H. KANG. Alterations in collagen production in mixed mononuclear leukocyte-fibroblast cultures

60 JOSEPH L. BUTLER, ATSUSHI MURAGUCHI, H. CLIFFORD LANE, and ANTHONY S. FAUCI. Development of a human T-T cell hybridoma secreting B cell growth factor

69 PATRICIA K. A. MONGINI, WILLIAM E. PAUL, and ELEANOR S. METCALF. IgG subclass, IgE, and IgA anti-trinitrophenyl antibody production within trinitrophenyl-Ficoll-responsive B cell clones. Evidence in support of three distinct switching pathways

86 SUSAN K. KEESEE and FRANCES L. OWEN. Modulation of Tthy alloantigen expression in the neonatal mouse. The Tthy-bearing thymocyte is a precursor for the peripheral cells expressing Tind and Tsu

98 STEPHEN H. CLARKE, J. LATHAM CLAFLIN, MICHAEL POTTER, and STUART RUDIKOFF. Polymorphisms in anti-phosphocholine antibodies reflecting evolution of immunoglobulin families

114 PETER HOKLAND, PAUL ROSENTHAL, JAMES D. GRIFFIN, LEE M. NADLER, JOHN DALEY, MARIANNE HOKLAND, STUART F. SCHLOSSMAN, and JEROME RITZ. Purification and characterization of fetal hematopoietic cells that express the common acute lymphoblastic leukemia antigen (CALLA)

130 BARBARA NEWMAN, SHUNJI SUGII, ELVIN A. KABAT, MITSUO TORII, BRIAN L. CLEVINGER, JIM SCHILLING, MARTHA BOND, JOSEPH M. DAVIE, and LEROY HOOD. Combining site specificites of mouse hybridoma antibodies to dextran B1355S

141 PAMELA J. FINK, IRVING L. WEISSMAN, and MICHAEL J. BEVAN. Haplotype-specific suppression of cytotoxic T cell induction by antigen inappropriately presented on T cells

155 JEFFREY L. PLATT, TUCKER W. LEBIEN, and ALFRED F. MICHAEL. Stages of renal ontogenesis identified by monoclonal antibodies reactive with lymphohemopoietic differentiation antigens

173 FRIEDRICH HASLER, HARRY G. BLUESTEIN, NATHAN J. ZVAIFLER, and LOIS B. EPSTEIN. Analysis of the defects responsible for the impaired regulation of Epstein-Barr virus-induced B cell proliferation by rheumatoid arthritis lymphocytes. I. Diminished gamma interferon production in response to autologous stimulation

189 EHUD RAZIN, JEAN-MICHEL MENCIA-HUERTA, RICHARD L. STEVENS, ROBERT A. LEWIS, FU-TONG LIU, E. J. COREY, and K. FRANK AUSTEN. IgE-mediated release of leukotriene C_4, chondroitin sulfate E proteoglycan, β-hexosaminidase, and histamine from cultured bone marrow-derived mouse mast cells

202 KYOKO HAYAKAWA, RICHARD R. HARDY, DAVID R. PARKS, and LEONORE A. HERZENBERG. The "Ly-1 B" cell subpopulation in normal, immunodefective, and autoimmune mice

219 STEPHEN W. CHENSUE, DOV L. BOROS, and CHELLA S. DAVID. Regulation of granulomatous inflammation in murine schistosomiasis. II. T suppressor cell-derived, I-C subregion-encoded soluble suppressor factor mediates regulation of lymphokine production

231 NOBUYUKI TANIGAKI, ROBERTO TOSI, RENÉ J. DUQUESNOY, and GIOVANNI BATTISTA FERRARA. Three Ia species with different structures and alloantigenic determinants in an HLA-homozygous cell line

248 MARJORIE ROBERT-GUROFF, V. S. KALYANARAMAN, WILLIAM A. BLATTNER, M. POPOVIC, M. G. SARNGADHARAN, MICHIYUKI MAEDA, DOUGLAS BLAYNEY, DANIEL CATOVSKY, PAUL A. BUNN, AKIRA SHIBATA, YOSHINOBU NAKAO, YOHEI ITO, TADAO AOKI, and ROBERT C. GALLO. Evidence for human T cell lymphoma-leukemia virus infection of family members of human T cell lymphoma-leukemia virus positive T cell leukemia-lymphoma patients

259 KOJI HASHIMOTO, KERRY M. SHAFRAN, PAMELA S. WEBBER, GERALD S. LAZARUS, and KAY H. SINGER. Anti-cell surface pemphigus autoantibody stimulates plasminogen activator activity of human epidermal cells. A mechanism for the loss of epidermal cohesion and blister formation

273 TORU ABO, CHARLES A. MILLER, G. LARRY GARTLAND, and CHARLES M. BALCH. Differentiation stages of human natural killer cells in lymphoid tissues from fetal to adult life

285 MICHAEL WEAVER, RAKESH SINGHAI, LYDIA SIKORA, and JULIA G. LEVY. Identification of an idiotypic marker of a major regulatory T cell of the immune response in B10.BR mice to ferredoxin. The relationship of idiotypic regulation to conventional hapten-carrier effects

301 L. L. BAUM, K. K. JAMES, R. R GLAVIANO, and H. GEWURZ. Possible role for C-reactive protein in the human natural killer cell response

312 A. BANDEIRA, G. POBOR, S. PETTERSSON, and A. COUTINHO. Differential macrophage requirements for T helper cell and T helper cell-induced B lymphocyte proliferation

324 MICHAEL S. KRANGEL, SHIGERU TAKETANI, DONALD PIOUS, and JACK L. STROMINGER. HLA-A2 mutants immunoselected in vitro. Definition of residues contributing to an HLA-A2-specific serological determinant

377 Correction

BRIEF DEFINITIVE REPORTS

337 F. K. STEVENSON, G. T. STEVENSON, and A. L. TUTT. The export of immunoglobulin D by human neoplastic B lymphocytes

342 MARLENE ALDO-BENSON and LINDA SCHEIDERER. Long-term growth of lines of murine dinitrophenyl-specific B lymphocytes in vitro

348 STEPHEN T. BARTLETT, ANTHONY S. JENNINGS, CHU YU, ALI NAJI, CLYDE F. BARKER, and WILLYS K. SILVERS. Influence of culturing on the survival of major histocompatibility complex-compatible and -incompatibile thyroid grafts in rats

353 ADAM LOWY, AKIRA TOMINAGA, JEFFREY A. DREBIN, MUNEO TAKAOKI, BARUJ BENACERRAF, and MARK I. GREENE. Identification of an I-J$^+$ antigen-presenting cell required for third order suppressor cell activation

359 KENNETH L. ROCK and BARUJ BENACERRAF. The role of Ia molecules in the activation of T lymphocytes. III. Antigen-specific, Ia-restricted, interleukin 2-producing T cell hybridomas with detectable affinity for the restricting I-A molecule

365 E. ROTHENBERG and D. TRIGLIA. Lyt-2 glycoprotein is synthesized as a single molecular species

371 MINA FOGEL, PETER ALTEVOGT, and VOLKER SCHIRRMACHER. Metastatic potential severely altered by changes in tumor cell adhesiveness and cell surface sialylation

Volume 157 No. 2 February 1, 1983

385 KLAS KÄRRE, JANET K. SEELEY, ERENE ERIKSSON, ROBERT C. BURTON, and ROLF KIESSLING. "Anomalous" Thy-1$^+$ killer cells in allogeneic and F_1-anti-parental mixed leukocyte culture. Relation to natural killer cells and allospecific cytotoxic T lymphocytes

404 PHILIPPA MARRACK and JOHN KAPPLER. Use of somatic cell genetics to study chromosomes contributing to antigen plus *I* recognition by T cell hybridomas

419 FRANCES L. OWEN. Tpre, a new alloantigen encoded in the IgT-C region of chromosome 12, is expressed on bone marrow of nude mice, fetal T cell hybrids, and fetal thymus

433 HIDENORI KAWANISHI, LORI E. SALTZMAN, and WARREN STROBER. Mechanisms regulating IgA class-specific immunoglobulin production in murine gut-associated lymphoid tissues. I. T cells derived from Peyer's patches that switch sIgM B cells to sIgA B cells in vitro

451 DONALD L. LODMELL. Genetic control of resistance to street rabies virus in mice

461 TOM COTNER, JOHN M. WILLIAMS, LISA CHRISTENSON, HOWARD M. SHAPIRO, TERRY B. STROM, and JACK STROMINGER. Simultaneous flow cytometric analysis of human T cell activation antigen expression and DNA content

473 NANCY HOGG. Human monocytes are associated with the formation of fibrin.

486 RICHARD J. HODES, KAREN S. HATHCOCK, and ALFRED SINGER. Major histocompatibility complex-restricted self-recognition in responses to trinitrophenyl-Ficoll. A novel cell interaction pathway requiring self-recognition of accessory cell H-2 determinants by both T cells and B cells

502 DEBRA K. LEITH, LETICIA B. TREVINO, JOSEPH G. TULLY, LAWRENCE B. SENTERFIT, and JOEL B. BASEMAN. Host discrimination of *Mycoplasma pneumoniae* proteinaceous immunogens

515 DAVID H. SHERR, MUTSUHIKO MINAMI, KENJI OKUDA, and MARTIN E. DORF. Analysis of T cell hybridomas. III. Distinctions between two types of hapten-specific suppressor factors that affect plaque-forming cell responses

530 ATSUSHI MURAGUCHI, JOSEPH L. BUTLER, JOHN H. KEHRL, and ANTHONY S. FAUCI. Differential sensitivity of human B cell subsets to activation signals delivered by anti-μ antibody and proliferative signals delivered by a monoclonal B cell growth factor

547 MALCOLM W. KENNEDY AND D. BRIAN THOMAS. A regulatory role for the memory B cell as suppressor-inducer of feedback control

559 PAULA CREEMERS, NOEL R. ROSE, AND YI-CHI M. KONG. Experimental autoimmune thyroiditis. In vitro cytotoxic effects of T lymphocytes on thyroid monolayers

572 STEVEN N. EMANCIPATOR, GLORIA R. GALLO, AND MICHAEL E. LAMM. Experimental IgA nephropathy induced by oral immunization

583 MASAJI OKADA, NOBUO SAKAGUCHI, NORIO YOSHIMURA, HIDEKI HARA, KAZUO SHIMIZU, NOBUAKI YOSHIDA, KAZUYUKI YOSHIZAKI, SUSUMU KISHIMOTO, YUICHI YAMAMURA, AND TADAMITSU KISHIMOTO. B cell growth factors and B cell differentiation factor from human T hybridomas. Two distinct kinds of B cell growth factor and their synergism in B cell proliferation

591 WILLYS K. SILVERS, NANCY H. COLLINS, AND MINA NAJI. Influence of size and gene dosage on the survival of skin allografts on rats rendered tolerant at birth

600 ELLEN PURE, PETER C. ISAKSON, JOHN W. KAPPLER, PHILIPPA MARRACK, PETER H. KRAMMER, AND ELLEN S. VITETTA. T cell-derived B cell growth and differentiation factors. Dichotomy between the responsiveness of B cells from adult and neonatal mice

613 RALPH M. STEINMAN, BADMA GUTCHINOV, MARGIT D. WITMER, AND MICHEL C. NUSSENZWEIG. Dendritic cells are the principal stimulators of the primary mixed leukocyte reaction in mice

628 R. A. KREISLE AND CHARLES W. PARKER. Specific binding of leukotriene B_4 to a receptor on human polymorphonuclear leukocytes

642 JAMES L. URBAN and HANS SCHREIBER. Selection of macrophage-resistant progressor tumor variants by the normal host. Requirement for concomitant T cell-mediated immunity

657 KATHRYN E. STEIN, DAVID A. ZOPF, CAROLE B. MILLER, BARBARA M. JOHNSON, PATRICIA K. A. MONGINI, AFTAB AHMED, and WILLIAM E. PAUL. Immune response to a thymus-dependent form of B512 dextran requires the presence of Lyb-5^+ lymphocytes

667 DONTSCHO KERJASCHKI and MARILYN GIST FARQUHAR. Immunocytochemical localization of the Heymann nephritis antigen (GP330) in glumerular epithelial cells of normal Lewis rats

687 LOUIS M. STAUDT and WALTER GERHARD. Generation of antibody diversity in the immune response of BALB/c mice to influenza virus hemagglutinin. I. Significant variation in repertoire expression between individual mice

705 STEFAN C. MEUER, KATHLEEN A. FITZGERALD, REBECCA E. HUSSEY, JAMES C. HODGDON, STUART F. SCHLOSSMAN, and ELLIS L. REINHERZ. Clonotypic structures involved in antigen-specific human T cell function. Relationship to the T3 molecular complex

720 SUSAN L. SWAIN, RICHARD W. DUTTON, RISË SCHWAB, and JANET YAMAMOTO. Xenogeneic human anti-mouse T cell responses are due to the activity of the same functional T cell subsets responsible for allospecific and major histocompatibility complex-restricted responses

730 GÉRALD J. PRUD'HOMME, CHONGHEE L. PARK, TERRY M. FIESER, REINHARD KOFLER, FRANK J. DIXON, and ARGYRIOS N. THEOFILOPOULOS. Identification of a B cell differentiation factor(s) spontaneously produced by proliferating T cells in murine lupus strains of the *lpr/lpr* genotype

743 ALESSANDRO MORETTA, GIUSEPPE PANTALEO, LORENZO MORETTA, JEAN-CHARLES CEROTTINI, and MARIA CRISTINA MINGARI. Direct demonstration of the clonogenic potential of every human peripheral blood T cell. Clonal analysis of HLA-DR expression and cytolytic activity

755 ANTON G. ROLINK, STEVEN T. PALS, and ERNST GLEICHMANN. Allosuppressor and allohelper T cells in acute and chronic graft-vs.-host disease. II. F_1 recipients carrying mutations at H-2K and/or I-A

772 SWEY-SHEN CHEN AND DAVID H. KATZ. IgE class-restricted tolerance induced by neonatal administration of soluble or cell-bound IgE

BRIEF DEFINITIVE REPORTS

789 JOHN H. ELDRIDGE, HIROSHI KIYONO, SUZANNE M. MICHALEK, AND JERRY R. MCGHEE. Evidence for a mature B cell subpopulation in Peyer's patches of young adult mice

795 THOMAS L. ROTHSTEIN, MICHAEL N. MARGOLIES, MALCOLM L. GEFTER, and ANN MARSHAK-ROTHSTEIN. Fine specificity of idiotope suppression the in the A/J anti-azophenylarsonate response

801 ARNOLD E. POSTLETHWAITE, LAWRENCE B. LACHMAN, CARLO L. MAINARDI, and ANDREW H. KANG. Interleukin 1 stimulation of collagenase production by cultured fibroblasts

807 R. ALAN B. EZEKOWITZ, MAXINE BAMPTON, and SIAMON GORDON. Macrophage activation selectively enhances expression of Fc receptors for IgG2a

Volume 157 No. 3 March 1, 1983

813 ROGER A. REICHERT, W. MICHAEL GALLATIN, IRVING L. WEISSMAN, and EUGENE C. BUTCHER. Germinal center B cells lack homing receptors necessary for normal lymphocyte recirculation

828 CHRISTOPHER C. BADGER and IRWIN D. BERNSTEIN. Therapy of murine leukemia with monoclonal antibody against a normal differentiation antigen

843 ANN M. DVORAK, STEPHEN J. GALLI, JAMES A. MARCUM, GARY NABEL, HAROUT DER SIMONIAN, JEROLD GOLDIN, RITA A. MONAHAN, KATHRYN PYNE, HARVEY CANTOR, ROBERT D. ROSENBERG, and HAROLD F. DVORAK. Cloned mouse cells with natural killer function and cloned suppressor T cells express ultrastructural and biochemical features not shared by cloned inducer T cells

862 P. W. ASKENASE, R. W. ROSENSTEIN, AND W. PTAK. T cells produce an antigen-binding factor with in vivo activity analogous to IgE antibody

874 LEMING HANG, JOHN H. SLACK, CATHY AMUNDSON, SHOZO IZUI, ARGYRIOS N. THEOFILOPOULOS, and FRANK J. DIXON. Induction of murine autoimmune disease by chronic polyclonal B cell activation

884 ELIZABETH ANN GRIMM, KEITH M. RAMSEY, AMITABHA MAZUMDER, DEBRA J. WILSON, JULIE Y. DJEU, and STEVEN A. ROSENBERG. Lymphokine-activated killer cell phenomenon. II. Precursor phenotype is serologically distinct from peripheral T lymphocytes, memory cytotoxic thymus-derived lymphocytes, and natural killer cells

898 FRANCISCO G. LA ROSA and DAVID W. TALMAGE. The failure of a major histocompatibility antigen to stimulate a thyroid allograft reaction after culture in oxygen

907 BARTON F. HAYNES, MARJORIE ROBERT-GUROFF, RICHARD S. METZGAR, GENOVEFFA FRANCHINI, V. S. KALYANARAMAN, THOMAS J. PALKER, and ROBERT C. GALLO. Monoclonal antibody against human T cell leukemia virus p19 defines a human thymic epithelial antigen acquired during ontogeny

921 DAVID W. LANCKI, MARC I. LORBER, MICHAEL R. LOKEN, AND FRANK W. FITCH. A clone-specific monoclonal antibody that inhibits cytolysis of a cytolytic T cell clone

936 GENE M. SHEARER and ROBERT B. LEVY. Graft-vs.-host-associated immune suppression is activated by recognition of allogeneic murine I-A antigens

947 EDWARD L. MORGAN, JAMES E. SHIELDS, CHARLES S. CAMPBELL, RUSSELL L. BARTON, GARY A. KOPPEL, and WILLIAM O. WEIGLE. Synthetic Fc peptide-mediated regulation of the immune response. I. Characterization of the immunomodulating properties of a synthetic 23-amino acid peptide derived from the sequence of the CH_3 domain of human IgG_1

957 ROBERT H. LOBLAY, BARBARA FAZEKAS DE ST. GROTH, HELEN PRITCHARD-BRISCOE, and ANTONY BASTEN. Suppressor T cell memory. II. The role of memory suppressor T cells in tolerance to human gamma globulin

974 JENIFER TURCO and HERBERT H. WINKLER. Inhibition of the growth of *Rickettsia prowazekii* in cultured fibroblasts by lymphokines

987 BIRGIT HERTEL-WULFF, JOEL W. GOODMAN, C. GARRISON FATHMAN, and GEORGE K. LEWIS. Arsonate-specific murine T cell clones. I. Genetic control and antigen specificity

998 NORIHISA ISHII, ZOLTAN A. NAGY, and JAN KLEIN. In vitro correlate for a clonal deletion mechanism of immune response gene-controlled nonresponsiveness

1006 JACQUES L. VAN SNICK, VÉRONIQUE STASSIN, and BRIGITTE DE LESTRÉ. Isotypic and allotypic specificity of mouse rheumatoid factors

1020 SUSAN L. NAYLOR, ALAN Y. SAKAGUCHI, THOMAS B. SHOWS, MARTHA L. LAW, DAVID V. GOEDDEL, and PATRICK W. GRAY. Human immune interferon gene is located on chromosome 12

1028 GEORGES E. GRAU, PILAIPAN PUTHAVATHANA, SHOZO IZUI, and PAUL-HENRI LAMBERT. Induction of acute thrombocytopenia and infection of megakaryocytes by Rauscher murine leukemia virus reflect the genetic susceptibility to leukemogenesis

1040 CATHERINE UYTTENHOVE, JANET MARYANSKI, and THIERRY BOON. Escape of mouse mastocytoma P815 after nearly complete rejection is due to antigen-loss variants rather than immunosuppression

BRIEF DEFINITIVE REPORTS

1053 ROBERTO S. ACCOLLA. Human B cell variants immunoselected against a single Ia antigen subset have lost expression of several Ia antigen subsets

1059 F. R. BALKWILL, D. B. GRIFFIN, H. A. BAND, and P. C. L. BEVERLEY. Immune human lymphocytes produce an acid-labile α-interferon

1064 JEFFREY COSSMAN, LEONARD M. NECKERS, WARREN J. LEONARD, and WARNER C. GREENE. Polymorphonuclear neutrophils express the common acute lymphoblastic leukemia antigen

1070 EDMUND C. LATTIME, GENE A. PECORARO, and OSIAS STUTMAN. The activity of natural cytotoxic cells as augmented by interleukin 2 and interleukin 3

Volume 157 No. 4 April 1, 1983

1077 HIDETAKA YAKURA, FUNG-WIN SHEN, ELAINE BOURCET, and EDWARD A. BOYSE. On the function of Ly-5 in the regulation of antigen-driven B cell differentiation. Comparison and contrast with Lyb-2

1089 CHAMROEN CHETTY, ROGER R. BROWN, and JOHN H. SCHWAB. Edema-producing activity of group A streptococcal polysaccharide and its possible role in the pathogenesis of cell wall-induced polyarthritis

1101 JONATHAN M. AUSTYN, RALPH M. STEINMAN, DAVID E. WEINSTEIN, ANGELA GRANELLI-PIPERNO, and MICHAEL A. PALLADINO. Dendritic cells initiate a two-stage mechanism for T lymphocyte proliferation

1116 PETER V. HORNBECK and GEORGE K. LEWIS. Idiotype connectance in the immune system. I. Expression of a cross-reactive idiotope on induced anti-*p*-azophenylarsonate antibodies and on endogenous antibodies not specific for arsonate

1137 MARCEL HOMMEL, PETER H. DAVID, and LYNETTE D. OLIGINO. Surface alterations of erythrocytes in *Plasmodium falciparum* malaria. I. Antigenic variation, antigenic diversity, and the role of the spleen

1149 KATHRYN HASKINS, RALPH KUBO, JANICE WHITE, MICHELE PIGEON, JOHN KAPPLER, and PHILIPPA MARRACK. The major histocompatibility complex-restricted antigen receptor on T cells. I. Isolation with a monoclonal antibody

1170 KATHLEEN A. DENIS and NORMAN R. KLINMAN. Genetic and temporal control of neonatal antibody expression

1184 MICHAEL J. BANDA, ELIZABETH J. CLARK, and ZENA WERB. Selective proteolysis of immunoglobulins by mouse macrophage elastase

1197 JACQUES R. HIERNAUX, JEFFREY M. JONES, JON A. RUDBACH, FLORENCE ROLLWAGEN, and PHILLIP J. BAKER. Antibody response of immunodeficient (xid) CBA/N mice to *Escherichia coli* 0113 lipopolysaccharide, a thymus-independent antigen

1208 C. DARTE and H. BEAUFAY. Analytical subcellular fractionation of cultivated mouse resident peritoneal macrophages

1229 HENRY D. JAMPEL, GORDON W. DUFF, RICHARD K. GERSHON, ELISHA ATKINS, and SCOTT K. DURUM. Fever and immunoregulation. III. Hyperthermia augments the primary in vitro humoral immune response

1239 TEIZO FUJITA and NOBORU TAMURA. Interaction of C4-binding protein with cell-bound C4b. A quantitative analysis of binding and the role of C4-binding protein in proteolysis of cell-bound C4b

1252 H. BINZ, M. FENNER, D. FREI, and H. WIGZELL. Two independent receptors allow selective target lysis by T cell clones

1261 JAMES FORMAN, ROBERT S. GOODENOW, LEROY HOOD, and RICHARD CIAVARRA. Use of DNA-mediated gene transfer to analyze the role of *H-2L*^{d} in controlling the specificity of anti-vesicular stomatitus virus cytotoxic T cells

1273 HUGH AUCHINCLOSS, JR., JEFFREY A. BLUESTONE, and DAVID H. SACHS. Antiidiotypes against anti-H-2 monoclonal antibodies. V. In vivo antiidiotype treatment induces idiotype-specific helper T cells

1287 GEORGE A. DOS REIS and ETHAN M. SHEVACH. Antigen-presenting cells from nonresponder strain 2 guinea pigs are fully competent to present bovine insulin B chain to responder strain 13 T cells. Evidence against a determinant selection model and in favor of a clonal deletion model of immune response gene function

1300 DORITH ZHARHARY and NORMAN R. KLINMAN. Antigen responsiveness of the mature and generative B cell populations of aged mice

1309 MAKOTO GOTO and NATHAN J. ZVAIFLER. Characterization of the killer cell generated in the autologous mixed leukocyte reaction

1324 ARNO MÜLLBACHER, ROBERT V. BLANDEN, and MARY BRENAN. Neonatal tolerance of major histocompatibility complex antigens alters Ir gene control of the cytotoxic T cell response to vaccinia virus

1339 JORDAN S. POBER, MICHAEL A. GIMBRONE, JR., RAMZI S. COTRAN, CAROL S. REISS, STEVEN J. BURAKOFF, WALTER FIERS, and KENNETH A. AULT. Ia expression by vascular endothelium is inducible by activated T cells and by human γ-interferon

BRIEF DEFINITIVE REPORTS

1354 J. WAYNE STREILEIN and PAUL R. BERGSTRESSER. Haptens can serve as surrogate transplantation antigens in a manner that demonstrates H-2 restriction of graft rejection

1360 PHILLIP PEKALA, MASANOBU KAWAKAMI, WILLIAM VINE, DANIEL M. LANE, and ANTHONY CERAMI. Studies of insulin resistance in adipocytes induced by macrophage mediator

Volume 157 No. 5 May 1, 1983

1369 PIERRE-OLIVIER COURAUD, BAO-ZHANG LÜ, and A. DONNY STROSBERG. Cyclical antiidiotypic response to anti-hormone antibodies due to neutralization by autologous anti-antiidiotype antibodies that bind hormone

1379 MUTSUHIKO MINAMI, KENJI OKUDA, SHUICHI FURUSAWA, and MARTIN E. DORF. Analysis of T cell hybridomas. IV. Characterization of inducible suppressor cell hybridomas

1396 BARBARA N. BECK, PATRICIA A. NELSON, and C. GARRISON FATHMAN. The I-A^b mutant B6.C-H-2^{bm12} allows definition of multiple T cell epitopes on I-A molecules

1405 JOHN SWANSON and OSMAR BARRERA. Immunological characteristics of gonococcal outer membrane protein II assessed by immunoprecipitation, immunoblotting, and coagglutination

1421 JOHN E. COE and MARY JANE ROSS. Hamster female protein. A divergent acute phase protein in male and female Syrian hamsters

1434 JONATHAN R. LAMB, BARRY J. SKIDMORE, NICOLA GREEN, JACQUES M. CHILLER, and MARC FELDMANN. Induction of tolerance in influenza virus-immune T lymphocyte clones with synthetic peptides of influenza hemagglutinin

1448 CHARLES D. MILLS and ROBERT J. NORTH. Expression of passively transferred immunity against an established tumor depends on generation of cytolytic T cells in recipient. Inhibition by suppressor T cells

1461 ROBERT C. GILES, GABRIEL NUNEZ, CAROLYN KATOVICH HURLEY, ANTONIO NUNEZ-ROLDAN, ROBERT WINCHESTER, PETER STASTNY, and J. DONALD CAPRA. Structural analysis of a human I-A homologue using a monoclonal antibody that recognizes an MB3-like specificity

1471 VIRGINIA L. SHEPHERD, PHILIP D. STAHL, PAULETTE BERND, and MICHEL RABINOVITCH. Receptor-mediated entry of β-glucuronidase into the parasitophorous vacuoles of macrophages infected with *Leishmania mexicana amazonensis*

1483 GUNTHER DENNERT and ECKHARD R. PODACK. Cytolysis by H-2-specific T killer cells: assembly of tubular complexes on target membranes

1496 DAVID E. HARRISON. Long-term erythropoietic repopulating ability of old, young, and fetal stem cells

1505 DONALD BELLGRAU. Induction of cytotoxic T cell precursors in vivo. Role of T helper cells

1516 MART MANNIK, LAWRENCE Y. C. AGODOA, and KENNETH A. DAVID. Rearrangement of immune complexes in glomeruli leads to persistence and development of electron-dense deposits

1529 MAUREEN HOWARD, STEVEN B. MIZEL, LAWRENCE LACHMAN, JOHN ANSEL, BARBARA JOHNSON, and WILLIAM E. PAUL. Role of interleukin 1 in anti-immunoglobulin-induced B cell proliferation

1544 GAIL ABENDROTH BISHOP, JOSEPH C. GLORIOSO, and STANLEY A. SCHWARTZ. Relationship between expression of herpes simplex virus glycoproteins and susceptibility of target cells to human natural killer activity

1562 D. A. LEPAY, N. NOGUEIRA, and Z. COHN. Surface antigens of *Leishmania donovani* promastigotes

1573 JÉRÔME PÈNE, FAWZIA BEKKHOUCHA, CATHERINE DESAYMARD, HABIB ZAGHOUANI, and MARC STANISLAWSKI. Induction of a cross-reactive idiotype dextran-positive antibody response in two Igh-C^b mouse strains treated with anti-J558 cross-reactive idiotype antibodies

1594 PETER J. HOTEZ and ANTHONY CERAMI. Secretion of a proteolytic anticoagulant by *Ancylostoma* hookworms

1604 H. VAN LOVEREN, R. MEADE, and P. W. ASKENASE. An early component of delayed-type hypersensitivity mediated by T cells and mast cells

1618 KENNETH L. ROCK and BARUJ BENACERRAF. Inhibition of antigen-specific T lymphocyte activation by structurally related Ir gene-controlled polymers. Evidence of specific competition for accessory cell antigen presentation

1635 EDMOND A. GOIDL, JANET W. CHOY, JAMES J. GIBBONS, MARC E. WEKSLER, G. JEANETTE THORBECKE, and GREGORY W. SISKIND. Production of auto-antiidiotypic antibody during the normal immune response. VII. Analysis of the cellular basis for the increased auto-antiidiotype antibody production by aged mice

1646 DAVID M. SPALDING, WILLIAM J. KOOPMAN, JOHN H. ELDRIDGE, JERRY R. MCGHEE, and RALPH M. STEINMAN. Accessory cells in murine Peyer's patch. I. Identification and enrichment of a functional dendritic cell

1660 JONATHAN P. STOYE and CHRISTOPH MORONI. Endogenous retrovirus expression in stimulated murine lymphocytes. Identification of a new locus controlling mitogen induction of a defective virus

BRIEF DEFINITIVE REPORTS

1675 STEVEN M. FRIEDMAN and GARY S. THOMPSON. Functionally restricted, allospecific, human helper T cell lines that amplify either B cell or cytolytic T cell responses

1681 RUTH EPSTEIN, KATHERIN LEHMANN, and MELVIN COHN. Induction of λ_1-immunoglobulin is determined by a regulatory gene (r_{λ_1}) linked (or identical) to the structural (c_{λ_1}) gene

1687 JEFFREY P. GRONER, ANDREW J. WATSON, and FRITZ H. BACH. Dw/LD-related molecular polymorphism of DR4 β-chains

1692 JOHN H. KEHRL and ANTHONY S. FAUCI. Identification, purification, and characterization of antigen-activated and antigen-specific human B lymphocytes

1698 ROBERT P. KIMBERLY, ALLAN GIBOFSKY, JANE E. SALMON, and MARILENA FOTINO. Impaired Fc-mediated mononuclear phagocyte system clearance in HLA-DR2 and MT1-positive healthy young adults

1704 DAVID A. HUME and SIAMON GORDON. Mononuclear phagocyte system of the mouse defined by immunohistochemical localization of antigen F4/80. Identification of resident macrophages in renal medullary and cortical interstitium and the juxtaglomerular complex

Volume 157 No. 6 June 1, 1983

1713 MICHAEL J. CAULFIELD, KATHLEEN J. LUCE, MAX R. PROFFITT, and JAN CERNY. Induction of idiotype-specific suppressor T cells with antigen/antibody complexes

1726 ICHIRO AOKI, MUTSUHIKO MINAMI, and MARTIN E. DORF. A mechanism responsible for the induction of H-2-restricted second-order suppressor T cells

1736 WILLIAM J. BRITT, and BRUCE CHESEBRO. H-2D control of recovery from Friend virus leukemia: H-2D region influences the kinetics of the T lymphocyte response to Friend virus

1746 JOSEF MICHL, JAY C. UNKELESS, MARGARET M. PIECZONKA, and SAMUEL C. SILVERSTEIN. Modulation of Fc receptors of mononuclear phagocytes by immobilized antigen-antibody complexes. Quantitative analysis of the relationship between ligand number and Fc receptor response

1758 CHRISTOPHER W. PUGH, G. GORDON MACPHERSON, and HOWARD W. STEER. Characterization of nonlymphoid cells derived from rat peripheral lymph

1780 CHARLES L. WISSEMAN, JR. and ANNA WADDELL. Interferonlike factors from antigen- and mitogen-stimulated human leukocytes with antirickettsial and cytolytic actions on *Rickettsia prowazekii*. Infected human endothelial cells, fibroblasts, and macrophages

1794 TERRY L. DELOVITCH, KATIE KAUFMAN, and REGINALD M. GORCZYNSKI. In vitro analysis of allogeneic lymphocyte interaction. VII. *I-A*-restricted self-reactive and alloreactive helper components of allogeneic effect factor are distinct donor T cell-derived Ia^- molecules that recognize Ia determinants on antigen-presenting cells

1808 OTONIEL MARTÍNEZ-MAZA and SVEN BRITTON. Frequencies of the separate human B cell subsets activatable to Ig secretion by Epstein-Barr virus and pokeweed mitogen

1815 GÉRALD J. PRUD'HOMME, ROBERT S. BALDERAS, FRANK J. DIXON, and ARGYRIOS N. THEOFILOPOULOS. B cell dependence on and response to accessory signals in murine lupus strains

1828 MONICA C. VEITH and ANTHONY E. BUTTERWORTH. Enhancement of human eosinophil-mediated killing of *Schistosoma mansoni* larvae by mononuclear cell products in vitro

1844 CHRISTINE G. POMMIER, SHINICHI INADA, LOUIS F. FRIES, TSUNEO TAKAHASHI, MICHAEL M. FRANK, and ERIC J. BROWN. Plasma fibronectin enhances phagocytosis of opsonized particles by human peripheral blood monocytes

1855 ZENRO IKEZAWA, CONSTANTIN N. BAXEVANIS, MAKOTO NONAKA, RYO ABE, TOMIO TADA, ZOLTAN A. NAGY, and JAN KLEIN. Monoclonal suppressor factor specific for lactate dehydrogenase B. I. Mechanism of interaction between the factor and its target cells

1867 YOSHIHIRO ASANO and RICHARD J. HODES. T cell regulation of B cell activation. *I-A*-restricted T suppressor cells inhibit the major histocompatibility complex-restricted interactions of T helper cells with B cells and accessory cells

1885 DAVID KOFFLER, GREGORY BIESECKER, BERNICE NOBLE, GIUSEPPE A. ANDRES, and ANTONIO MARTINEZ-HERNANDEZ. Localization of the membrane attack complex (MAC) in experimental immune complex glomerulonephritis

1906 CAROL CLAYBERGER, ROSEMARIE H. DEKRUYFF, JAMES AISENBERG, and HARVEY CANTOR. Hapten-reactive inducer T cells. I. Definition of two classes of hapten-specific inducer cells

1920 L. SCOTT RODKEY and FRANK L. ADLER. Regulation of natural antiallotype antibody responses by idiotype network-induced auto-antiidiotypic antibodies

1932 ADA M. KRUISBEEK, MARION J. FULTZ, SUSAN O. SHARROW, ALFRED SINGER, and JAMES J. MOND. Early development of the T cell repertoire. In vivo treatment of neonatal mice with anti-Ia antibodies interferes with differentiation of I-restricted T cells but not K/D-restricted T cells

1947 FIDEL ZAVALA, ALAN H. COCHRANE, ELIZABETH H. NARDIN, RUTH S. NUSSENZWEIG, and VICTOR NUSSENZWEIG. Circumsporozoite proteins of malaria parasites contain a single immunodominant region with two or more identical epitopes.

1958 KENNETH M. PETERSON, JOEL B. BASEMAN, and JOHN F. ALDERETE. *Treponema pallidum* receptor binding proteins interact with fibronectin

1971 MICHAEL K. PANGBURN, ROBERT D. SCHREIBER, JOHN S. TROMBOLD, and HANS J. MÜLLER-EBERHARD. Paroxysmal nocturnal hemoglobinuria: deficiency in Factor H-like functions of the abnormal erythrocytes

1981 MARTHA CRAMER O'DONNELL, STEVEN J. ACKERMAN, GERALD J. GLEICH, and LARRY L. THOMAS. Activation of basophil and mast cell histamine release by eosinophil granule major basic protein

1992 ALINE VAN PEL, FRANÇOISE VESSIÈRE, and THIERRY BOON. Protection against two spontaneous mouse leukemias conferred by immunogenic variants obtained by mutagenesis

2002 LINDA M. HILLSTROM and JOHN E. NIEDERHUBER. *IR* gene regulation of the response to trinitrophenyl-polysaccharides. Two independent genes are required for antibody production

2017 DONALD F. H. WALLACH, SURENDRA P. VERMA, and WILLIAM E. SINGER. A protein anomaly in erythrocyte membranes of patients with Duchenne muscular dystrophy

2029 RICK A. WETSEL and WILLIAM P. KOLB. Expression of C5a-like biological activities by the fifth component of human complement (C5) upon limited digestion with noncomplement enzymes without release of polypeptide fragments

2049 ANGELIKA NOEGEL and EMIL C. GOTSCHLICH. Isolation of a high molecular weight polyphosphate from *Neisseria gonorrhoeae*

2061 GILLA KAPLAN. In vitro differentiation of human monocytes. Monocytes cultured on glass are cytotoxic to tumor cells but monocytes cultured on collagen are not

2073 JOHN G. MONROE and JOHN C. CAMBIER. B cell activation. I. Anti-immunoglobulin-induced receptor cross-linking results in a decrease in the plasma membrane potential of murine B lymphocytes

2087 W. A. SEWELL, J. J. MUNOZ, AND M. A. VADAS. Enhancement of the intensity, persistence, and passive transfer of delayed-type hypersensitivity lesions by pertussigen in mice

2097 GRAHAM MAYRHOFER and MICHAEL A. SCHON-HEGRAD. Ia antigens in rat kidney, with special reference to their expression in tubular epithelium

2110 PAMELA B. NAKAJIMA, ATSUO OCHI, FRANCES L. OWEN, and TOMIO TADA. Presence of IgT-C and I-A subregion-encoded determinants on distinct chains of monoclonal antigen-specific augmenting factor derived from a T cell hybridoma

2121 JOSEF MICHL, MARGARET M. PIECZONKA, JAY C. UNKELESS, GEORGE I. BELL, and SAMUEL C. SILVERSTEIN. Fc receptor modulation in mononuclear phagocytes maintained on immobilized immune complexes occurs by diffusion of the receptor molecule

2140 OLIVIA T. PREBLE, KATE ROTHKO, JOHN H. KLIPPEL, ROBERT M. FRIEDMAN, and MARGARET I. JOHNSTON. Interferon-induced 2′-5′ adenylate synthetase in vivo and interferon production in vitro by lymphocytes from systemic lupus erythematosus patients with and without circulating interferon

2147 AVRAHAM BEN-NUN, ZEEV LANDO, MARTIN E. DORF, and STEVEN J. BURAKOFF. Analysis of cross-reactive antigen-specific T cell clones. Specific recognition of two major histocompatibility complex (MHC) and two non-MHC antigens by a single clone

BRIEF DEFINITIVE REPORTS

2154 MARILYN M. HUSTON, ROGER SMITH III, DAVID P. HUSTON, and ROBERT R. RICH. Differences in maternal lineages of New Zealand Black mice defined by restriction endonuclease analysis of mitochondrial DNA and by expression of maternally transmitted antigen

2160 THOMAS R. DYKMAN, JOE L. COLE, KYOKO IIDA, AND JOHN P. ATKINSON. Structural heterogeneity of the C3b/C4b receptor (CR1) on human peripheral blood cells

2166 NORMAN ORIDA, JOSEPH D. FELDMAN, DAVID H. KATZ, and FU-TONG LIU. IgE-mediated chemotaxis of rat basophilic leukemia cells towards specific antigen

2172 WILHELM A. TEKOLF and STEPHEN SHAW. In vitro generation of cytotoxic cells specific for human minor histocompatibility antigens by lymphocytes from a normal donor potentially primed during pregnancy.

2178 J. D. SEDGWICK and P. G. HOLT. Kinetics and distribution of antigen-specific IgE-secreting cells during the primary antibody response in the rat

2184 MARILYN L. THOMAN and WILLIAM O. WEIGLE. Deficiency in suppressor T cell activity in aged animals. Reconstitution of this activity by interleukin 2

2190 HIDEAKI IRIBE, TOSHITAKA KOGA, SHOZO KOTANI, SHOICHI KUSUMOTO, and TETSURO SHIBA. Stimulating effect of MDP and its adjuvant-active analogues on guinea pig fibroblasts for the production of thymocyte-activating factor

2197 Author Index to Volume 157